

AN INDEX-CATALOGUE OF THE GENUS-GROUP  
NAMES OF ORIENTAL AND AUSTRALASIAN  
TACHINIDAE (DIPTERA) AND THEIR  
TYPE-SPECIES

17 APR 1967  
NATURAL HISTORY MUSEUM

BY

R. W. CROSSKEY *✓v/f*

Commonwealth Institute of Entomology, London

*Pp.* 1-39

BULLETIN OF  
THE BRITISH MUSEUM (NATURAL HISTORY)  
ENTOMOLOGY Vol. 20 No. 1  
LONDON: 1967

THE BULLETIN OF THE BRITISH MUSEUM  
(NATURAL HISTORY), instituted in 1949, is  
issued in five series corresponding to the Departments  
of the Museum, and an Historical series.

Parts will appear at irregular intervals as they become ready. Volumes will contain about three or four hundred pages, and will not necessarily be completed within one calendar year.

In 1965 a separate supplementary series of longer papers was instituted, numbered serially for each Department.

This paper is Vol. 20, No. 1 of the Entomological series. The abbreviated titles of periodicals cited follow those of the World List of Scientific Periodicals.

*World List* abbreviation :  
*Bull. Br. Mus. nat. Hist.* (Ent.)

© Trustees of the British Museum (Natural History) 1967

TRUSTEES OF  
THE BRITISH MUSEUM (NATURAL HISTORY)

Issued 19 April, 1967

Price Seventeen Shillings

# AN INDEX-CATALOGUE OF THE GENUS-GROUP NAMES OF ORIENTAL AND AUSTRALASIAN TACHINIDAE (DIPTERA) AND THEIR TYPE-SPECIES

By R. W. CROSSKEY

## CONTENTS

	<i>Page</i>
SYNOPSIS . . . . .	3
INTRODUCTION . . . . .	3
ALPHABETICAL CATALOGUE OF GENUS-GROUP NAMES . . . . .	5
SUMMARY OF PREOCCUPIED AND REPLACEMENT NAMES . . . . .	5
SYNOPSIS OF GENUS-GROUP NAMES BASED ON AUSTRALIAN TYPE-SPECIES . . . . .	32
INDEX TO SPECIFIC NAMES OF TYPE-SPECIES . . . . .	34

## SYNOPSIS

A catalogue is given of all genus-group names of Tachinidae based upon type-species from the Oriental Region, including Japan, and from the Australasian Region, including New Zealand. The type-species is cited for each genus-group name, together with the mode of fixation and the name of any valid senior synonym where known. The catalogue includes 514 genus-group names, of which 15 are replacement names for preoccupied homonyms (including five new names here proposed) and 3 are alternative original spellings: of the remaining 496 names, 488 are nomenclaturally available (467 of them proposed for full genera and 21 as subgenera), and 8 are unavailable. A summary is given of the junior homonyms and their replacement names, and a synoptic list of genus-group names based on type-species from the Commonwealth of Australia is provided for the convenience of Australian dipterists.

## INTRODUCTION

A PRIME difficulty in the taxonomy of Tachinidae arises from the very large number of genus-group names that have been proposed and the lack of any concise works bringing them together, even on a regional basis. Townsend's *Manual of Myiology* (1934–1942 in 12 parts, São Paulo), although helpful in many ways, is difficult to use and is now much outdated; the only work containing an up-to-date catalogue of genus-group names of Tachinidae for any region is the recently-published *Catalog of the Diptera of America North of Mexico* (1965, U.S. Department of Agriculture).

A basic requirement for revisionary work on the Tachinidae of the Oriental, Australasian and Ethiopian Regions is the compilation of, firstly, index-catalogues of genus-group names and type-species, and, at a later stage, of complete catalogues in systematic order containing full information on the status and whereabouts of the type-material of all described species. The present paper is a first contribution on these lines and provides a full index-catalogue of all genus-group names of Tachinidae based on type-species described from the Oriental and Australasian Regions.

This catalogue covers the Oriental Region (including those parts of southern China such as Szechwan that are normally considered Oriental) and the whole Australasian Region, of which New Zealand is considered an integral part. I have also included the genus-group names based upon type-species from Japan, although probably rather less than half of the Japanese tachinid fauna is of Oriental origin. I accept Weber's line (coinciding with the ethnic boundary between Indonesia and Melanesia) as the junction between the Oriental and Australasian Regions, as it appears to reflect the zoogeography of tachinidae rather better than Wallace's line.

The 514 names in the catalogue comprise 280 names for the Oriental Region exclusive of Japan, 17 names for Japan, 140 names for the Commonwealth of Australia, 24 names for Melanesia and Polynesia and 53 names for New Zealand. The fact that there are twice as many names of the genus-group for the Oriental Region as for Australia does not indicate that there is a real difference in the generic composition of the tachinid fauna of the two areas—merely that the Australian fauna is less well known and was not worked upon by Townsend (almost all of whose manifold genera were monotypic). The excessive splitting of Townsend (who provided 1491 new generic and 1555 new trivial names: Arnaud, 1958, *Micro-entomology* 23 : 4) has fortunately affected the taxonomy of the Old World fauna less drastically than that of the New World, and the present catalogue contains the relatively modest number of 198 Townsend names. Nevertheless, most of these are undoubtedly unnecessary, and many have already been sunk in synonymy by Mesnil (1944–1965, *Flieg. Palaearkt. Reg.* 64g : 1–879) and Crosskey (1966, *Proc. R. ent. Soc. Lond. (B)* 35 : 95–104).

Mesnil, in his papers on new Oriental Tachinidae (1953, *Bull. Annls Soc. r. ent. Belg.* 89 : 85–114; 146–178 and 1957, *Mém. Soc. r. ent. Belg.* 28 : 1–80) has published the descriptions of twenty-three genera in the form of combined “n.g., n. sp.” descriptions: in each case, however, the first part of the description compares the new genus with other genera and cites characters that may be regarded as differentiating the generic, rather than the specific, taxon, and I therefore accept the names concerned as available and satisfying Article 13 (i) of the *International Code of Zoological Nomenclature*.

All but one of the twenty-four Oriental and Australasian genera described by Brauer & Bergenstamm (1889–1894, *Denkschr. Akad. Wiss., Wien* 56 : 69–180; 58 : 305–446; 60 : 89–240 and 61 : 537–624) were monotypic, but for nine of the twenty-three monotypic genera Brauer & Bergenstamm made it clear by the use of the word “für” or “Type” that they were erecting the genus for a particular species. For these nine genera I have cited the type-species as fixed by original designation: the others are fixed by monotypy.

The generic name *Glossidionophora* Bigot, 1885 is omitted, since it is based on the Neotropical species *Glossidionophora nigra* Bigot, 1885 by the subsequent designation of Townsend (1916, *Insecutor Inscit. menstr.* 4 : 7), and not—as Paramonov (1956, *Aust. J. Zool.* 4 : 368) has stated in error—on the Australian species *Glossidionophora bicolor* Bigot, 1885. The name *Biomyioides* Matsumura, 1916 is also omitted as there seems no doubt at all that this name must apply to a species of *Silbomyia* Macquart (Calliphoridae: Ameninae), judging from the excellent description in

English, although I have been unable to trace the type-material of the type-species to confirm this (*Biomyioides* Matsumura, 1916, *Thousand Insects of Japan*, Addit. 2 : 388 was overlooked by Townsend and omitted from the *Manual of Myiology* and the name has remained enigmatic).

The unique female holotype (in Zoölogisch Museum, Amsterdam) of the type-species of *Cypselopteryx* Townsend, 1926, has been examined while preparing this paper and found to belong in the aberrant subfamily Egiinae of the Muscidae, and the name *Cypselopteryx* is therefore omitted from the catalogue. *Wagneriopsis* Townsend, 1927, is omitted as—despite the similarity of the name to *Wagneria* R.-D.—this name applies to a Rhinophorid and is a synonym of *Acampomintho* Villeneuve, 1927 (synonymy in Townsend, 1938, *Man. Myiol.* 6 : 207).

Finally it should be noted that Baranov spelt his name with either a terminal "v" or "ff" in his papers on Oriental Tachinidae: I have not differentiated in the catalogue but have adopted the "v" ending throughout.

In the following list, available genus-group names are printed in bold italic capitals, preoccupied homonyms and unavailable names in italic capitals.

#### ALPHABETICAL CATALOGUE OF GENUS-GROUP NAMES

- ACEPHANA** Townsend, 1916, *Can. Ent.* 48 : 153. Type-species: ***Masicera rubrifrons*** Macquart, 1847 [= *Masicera rufifacies* Macquart, 1847], by original designation. TASMANIA.
- ACTINOCHAETOPTERYX** Townsend, 1927, *Ent. Mitt.* 16 : 277. Type-species: ***Actinochaetopteryx actifera*** Townsend, 1927, by original designation. FORMOSA.
- ACUCERA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* 55 : 328. Type-species: ***Acucera montana*** Malloch, 1930, by original designation. NEW SOUTH WALES.
- ACUPHOCERA** Townsend, 1926, *Supplta ent.* 14 : 37. Type-species: ***Acuphocera sumatrensis*** Townsend, 1926 [= *Musca varia* Fabricius, 1794], by original designation. SUMATRA.
- AGALMIA** Enderlein, 1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* 1 : 433. Type-species: ***Rutilia albopicta*** Thomson, 1869, by original designation. NEW SOUTH WALES.
- AKOSEMPOMYIA** Villeneuve, 1932, *Bull. Annls Soc. r. ent. Belg.* 71 : 243. Type-species: ***Akosempomyia caudata*** Villeneuve, 1932, by monotypy. FORMOSA.
- ALOPHOROPHASIA** Townsend, 1927, *Philipp. J. Sci.* 33 : 287. Type-species: ***Alophorophasia alata*** Townsend, 1927, by original designation. PHILIPPINE REPUBLIC.
- ALTAIA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* 68 : 208. Type-species: ***Altaia geniculata*** Malloch, 1938, by original designation. NEW ZEALAND.
- AMPHIBOLIA** Macquart, 1843, *Mém. Soc. Sci. Agric. Lille* 1843 : 278. *Dipt. exot.* 2, pt. 3 : 121. Type-species: ***Amphibolia valentina*** Macquart, 1843, by original designation. AUSTRALIA.
- AMPHITROPESA** Townsend, 1933, *Jl N.Y. ent. Soc.* 40 : 463. Type-species: ***Amphitropesa elegans*** Townsend, 1933, by original designation. NEW SOUTH WALES.
- AMPLIPILA** Curran, 1927, *Ent. Mitt.* 16 : 446. Type-species: ***Amplipila versicolor*** Curran, 1927 [= *Crypsina prima* Brauer & Bergenstamm, 1889], by original designation. QUEENSLAND.
- ANAEUDORA** Townsend, 1933, *Jl N.Y. ent. Soc.* 40 : 468. Type-species: ***Anaeudora aureocephala*** Townsend, 1933, by original designation. FORMOSA.
- ANAGONIA** Brauer & Bergenstamm, 1891, *Denkschr. Akad. Wiss., Wien* 58 : 348. *Musc. Schiz.* 2 : 44. Type-species: ***Anagonia spylosioides*** Brauer & Bergenstamm, 1891 [= *Masicera rufifacies* Macquart, 1847], by monotypy. TASMANIA.

- ANAMASTAX** Brauer & Bergenstamm, 1891, *Denkschr. Akad. Wiss., Wien* **58** : 349. *Musc. Schiz.* **2** : 45. Type-species: *Anamastax australis* Townsend, 1933 [= *Blepharipeza goniaeformis* Brauer & Bergenstamm, not of Macquart, by misidentification], by original designation. QUEENSLAND.
- ANAPERISTOMMYIA** Townsend, 1926, *Supplta ent.* **14** : 15. Type-species: *Anaperistomyia optica* Townsend, 1926, by original designation. SUMATRA.
- ANATROPOMYIA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 126. Type-species: *Anatropomyia flavicornis* Malloch, 1930, by original designation. NEW SOUTH WALES.
- ANAVORIA** Mesnil, 1953, *Bull. Annls Soc. r. ent. Belg.* **89** : 170. Type-species: *Voria (Anavoria) indica* Mesnil, 1953, by monotypy. INDIA. (As subgenus of *Voria* Robineau-Desvoidy, 1830).
- ANDROCYPTERA** Townsend, 1927, *Philipp. J. Sci.* **33** : 286. Type-species: *Androcypiera anorbitalis* Townsend, 1927, by original designation. PHILIPPINE REPUBLIC.
- ANEOGMENA** Brauer & Bergenstamm, 1891, *Denkschr. Akad. Wiss., Wien* **58** : 385. *Musc. Schiz.* **2** : 81. Type-species: *Aneogmena fischeri* Brauer & Bergenstamm, 1891, by monotypy. INDIA, EAST INDIES.
- ANUROPHYLLINA** Mesnil, 1961, *Flieg. Palaearkt. Reg.* **64g** : 693. Unavailable, no fixation of a type-species.  
This name was proposed for a subgenus of *Urophyllina* Villeneuve, 1937, with four included Oriental species; it is invalid under Article 13 (b) of the *International Code of Zoological Nomenclature*.
- APALPOSTOMA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 134. Type-species: *Apalpostoma cinerea* Malloch, 1930, by original designation. WESTERN AUSTRALIA.
- APALPUS** Malloch, 1929, *Proc. Linn. Soc. N.S.W.* **54** : 318. Type-species: *Apalpus dorsalis* Malloch, 1929, by original designation. WESTERN AUSTRALIA.
- APATEMYIA** Macquart, 1846, *Mém. Soc. Sci. Agric. Lille* **1844** : 325. *Dipt. exot. Suppl.* **1** : 197. Type-species: *Apatemyia longipes* Macquart, 1846, by monotypy. TASMANIA.
- APHANTORHAPHOPSIS** Townsend, 1926, *Supplta ent.* **14** : 34. Type-species: *Aphantorhaphopsis orientalis* Townsend, 1926, by original designation. SUMATRA.
- APHRIMYOBIA** Townsend, 1926, *Supplta ent.* **14** : 36. Type-species: *Aphrimyobia similima* Townsend, 1926, by original designation. SUMATRA.
- APILIA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 345. Type-species: *Apilia cilifera* Malloch, 1930 [= *Blepharella lateralis* Macquart, 1851], by original designation. QUEENSLAND.
- APROTHECA** Macquart, 1851, *Mém. Soc. Sci. Agric. Lille* **1850** : 148. *Dipt. exot. Suppl.* **4** : 175. Type-species: *Aprotheca rufipes* Macquart, 1851, by monotypy. TASMANIA (probably in error for NEW SOUTH WALES).
- ARCHIMERA** Mesnil, 1954, *Flieg. Palaearkt. Reg.* **64g** : 371. Type-species: *Platymyia (Archimera) oncoperae* Mesnil, 1954 [= *Exorista diversicolor* Macquart, 1847], by monotypy. TASMANIA. (As subgenus of *Platymyia* Robineau-Desvoidy, 1830).
- ARGYROTHELALIRA** Townsend, 1916, *Proc. U.S. natn. Mus.* **51** : 311. Type-species: *Argyrotelalira froggatti* Townsend, 1916, by original designation. SOLOMON ISLANDS.
- ARRHENOMYZA** Malloch, 1929, *Proc. Linn. Soc. N.S.W.* **54** : 322. Type-species: *Arrhenomyza conspicua* Malloch, 1929, by original designation. WESTERN AUSTRALIA.
- ARRHINODEXIA** Townsend, 1927, *Ent. Mitt.* **16** : 282. Type-species: *Arrhinodexia atrata* Townsend, 1927, by original designation. FORMOSA.
- ARTHURIA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 166. Type-species: *Arthuria dimorpha* Malloch, 1938, by original designation. NEW ZEALAND.

Name preoccupied by *Arthuria* Dall, 1881 (Mollusca), see *Montanarturia* Miller, 1945.

- ASBELLOPSIS** Townsend, 1927, *Philipp. J. Sci.* **34** : 378. Type-species: *Asbellopsis luzonensis* Townsend, 1927, by original designation. PHILIPPINE REPUBLIC.
- ASETULIA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 187. Type-species: *Asetulia nigropolita* Malloch, 1938, by original designation. NEW ZEALAND.
- ASIOCARCELIA** Baranov, 1934, *Trans. R. ent. Soc. Lond.* **82** : 407. Type-species: *Carcelia caudata* Baranov, 1931, by original designation. FORMOSA.
- ATRACTOCEROPOPS** Townsend, 1916, *Proc. U.S. natn. Mus.* **51** : 307. Type-species: *Atractocerops ceylanica* Townsend, 1916, by original designation. CEYLON.
- ATRACTODEXIA** Bigot, 1885, *Bull. Soc. ent. Fr.* **1885** : xxxii. Type-species: *Atractodexia argentifera* Bigot, 1885 [= *Sumpigaster fasciatus* Macquart, 1855], by monotypy. NEW CALEDONIA.
- AUSTRALOTACHINA** Curran, 1938, *Proc. Linn. Soc. N.S.W.* **63** : 194. Type-species: *Australotachina calliphoroides* Curran, 1938, by original designation. QUEENSLAND.
- AUSTRODEXIA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 122. Type-species: *Astro-dexia setigera* Malloch, 1930, by original designation. NEW SOUTH WALES.
- AUSTROMACQUARTIA** Townsend, 1934, *Jl. N.Y. ent. Soc.* **42** : 248. Type-species: *Macquartia claripennis* Malloch, 1932, by original designation. NEW ZEALAND.
- AUSTROPHASIA** Townsend, 1916, *Insecutor Inscit. menstr.* **4** : 45. Type-species: *Hyalomyia rufiventris* Macquart, 1851, by original designation. TASMANIA (probably in error for NEW SOUTH WALES).
- AUSTROPHASIOPSIS** Townsend, 1933, *Jl. N.Y. ent. Soc.* **40** : 448. Type-species: *Austrophasiopsis formosensis* Townsend, 1933, by original designation. FORMOSA.
- AUSTROPHOROCERA** Townsend, 1916, *Can. Ent.* **48** : 157. Type-species: *Phorocera biserialis* Macquart, 1847, by original designation. TASMANIA.
- AUSTROPHRYNO** Townsend, 1916, *Can. Ent.* **48** : 160. Type-species: *Tachina densa* Walker, 1852 [= *Exorista diversicolor* Macquart, 1847], by original designation. NEW SOUTH WALES.
- AVIBRISSIA** Malloch, 1932, *Rec. Canterbury Mus.* **3** : 436. Type-species: *Avibrissia longirostris* Malloch, 1932, by original designation. NEW ZEALAND.
- AVIBRISSINA** Malloch, 1932, *Rec. Canterbury Mus.* **3** : 438. Type-species: *Avibrissina brevipalpis* Malloch, 1932, by original designation. NEW ZEALAND.
- BACTROMYIELLA** Mesnil, 1952, *Flieg. Palaearkt. Reg.* **64g** : 240. Type-species: *Bactromyiella aureocincta* Mesnil, 1952 [= *Masicera ? picta* Walker, 1861], by original designation. QUEENSLAND, FIJI.
- BALLARDIA** Curran, 1927, *Bull. ent. Res.* **18** : 166. Type-species: *Ballardia pallipes* Curran, 1927, by original designation. QUEENSLAND.
- BARYDEXIA** Townsend, 1928, *Philipp. J. Sci.* **34** : 379. Type-species: *Barydexia bivittata* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.
- BELLINA** Robineau-Desvoidy, 1863, *Hist. nat. Dipt. Env. Paris* **2** : 194. Type-species: *Bellina melanura* Robineau-Desvoidy, 1863, by monotypy. INDIA.
- BESSERIOIDES** Curran, 1938, *Proc. Linn. Soc. N.S.W.* **63** : 185. Type-species: *Besserioides sexualis* Curran, 1938, by original designation. QUEENSLAND.
- BEZZIOMYIOBIA** Baranov, 1938, *Vet. Arh.* **8** : 172. Type-species: *Bezziomiyobia nigripes* Baranov, 1938, by original designation. SOLOMON ISLANDS.
- BIOMYOPSIS** Townsend, 1927, *Supplta ent.* **16** : 60. Type-species: *Biomyopsis sumatrensis* Townsend, 1927, by original designation. SUMATRA.
- BLEPHARELLA** Macquart, 1851, *Mém. Soc. Sci. Agric. Lille* **1850** : 176. *Dipt. exot. Suppl.* **4** : 203. Type-species: *Blepharella lateralis* Macquart, 1851, by monotypy. INDIA.

- BOROMYIA** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 16. Type-species: *Boromyia gastrula* Mesnil, 1957, by monotypy. BURMA.
- BOTHROPHORA** Schiner, 1868, *Reise Novara, Zool.* **2**, Dipt. : 317. Type-species: *Bothrophora zelebori* Schiner, 1868, by original designation. NEW ZEALAND.
- BOTHROSTIRA** Enderlein, 1936, *Veröff. dt. Kolon-u. Übersee-Mus. Bremen* **1** : 413. Type-species: *Bothrostira prisca* Enderlein, 1936, by original designation. NEW BRITAIN.
- BOTRIOPSIS** Townsend, 1928, *Philipp. J. Sci.* **34** : 389. Type-species: *Botriopsis bakeri* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.
- BRACHYMEROPSIS** Townsend, 1926, *Supplta ent.* **14** : 36. Type-species: *Brachymeropsis sumatrensis* Townsend, 1926, by original designation. SUMATRA.
- CALCAGER** Hutton, 1901, *Trans. N.Z. Inst.* **33** : 48. Type-species: *Calcager apertum* Hutton, 1901, by subsequent designation of Townsend, 1916, *Insecutor Inscit. menstr.* **4** : 6. NEW ZEALAND.
- CALCAGERIA** Curran, 1927, *Ent. Mitt.* **16** : 442. Type-species: *Calcageria incidunt* Curran, 1927, by original designation. NEW ZEALAND.
- CALOPTYGIDIA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 349. Type-species: *Calopygidia analis* Malloch, 1930 [= *Eurigaster tasmaniae* Walker, 1858], by original designation. NEW SOUTH WALES.
- CALOSIA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 233. Type-species: *Zealandotachina (Calosia) binigra* Malloch, 1938, by original designation. NEW ZEALAND. (As subgenus of *Zealandotachina* Malloch, 1938).
- CALOTACHINA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 176. Type-species: *Calotachina tricolor* Malloch, 1938, by original designation. NEW ZEALAND.
- CALOTHERESIA** Townsend, 1926, *Supplta ent.* **14** : 29. Type-species: *Calotheresia sumatrensis* Townsend, 1926, by original designation. SUMATRA.
- CALOTHERESIOPSIS** Baranov, 1932, *Wien. ent. Ztg* **49** : 214. Type-species: *Calotheresia orientalis* Baranov, 1932 [= *Dexia basifera* Walker, 1860], by original designation. CELEBES. (As subgenus of *Calotheresia* Townsend, 1926).
- CALOZENILLIA** Townsend, 1927, *Supplta ent.* **16** : 67. Type-species: *Calozenillia auro-nigra* Townsend, 1927, by original designation. SUMATRA.
- CALYPTROMYIA** Villeneuve, 1915, *Annls hist.-nat. Mus. natn. hung.* **13** : 92. Type-species: *Calyptromyia barbata* Villeneuve, 1915, by original designation. FORMOSA.
- CAMPBELLIA** Miller, 1923, *Trans. N.Z. Inst.* **54** : 432. Type-species: *Campbellia campbelli* Miller, 1923, by subsequent designation of Townsend, 1938, *Man. Myiol.* **7** : 43. NEW ZEALAND.
- Townsend (1938, *Man. Myiol.* **7** : 43) cites the type-species of *Campbellia* as fixed by original designation, but Miller did not designate either of the two originally included species as the type: the type-species is here held to be fixed therefore by subsequent designation of Townsend (loc. cit.).
- CAMPYLIA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 239. Type-species: *Calcager temerarium* Hutton, 1901, by original designation. NEW ZEALAND.
- CARCELIELLA** Baranov, 1934, *Trans. R. ent. Soc. Lond.* **82** : 398. Type-species: *Carcelia octava* Baranov, 1931, by original designation. FORMOSA.
- CARCELIMYIA** Mesnil, 1944, *Flieg. Palaearkt. Reg.* **64g** : 26. Type-species: *Exorista dispar* Macquart, 1851, by original designation. AUSTRALIA.
- CARCELIOPSIS** Townsend, 1927, *Supplta ent.* **16** : 66. Type-species: *Carceliopsis sumatrensis* Townsend, 1927, by original designation. SUMATRA.

**CATACARCELIA** Townsend, 1927, *Supplta ent.* **16** : 66. Type-species: *Catacarcelia kockiana* Townsend, 1927, by original designation. SUMATRA.

**CATAPARIPROSOPA** Townsend, 1927, *Ent. Mitt.* **16** : 285. Type-species: *Catapari-prosopa curvicauda* Townsend, 1927, by original designation. FORMOSA.

**CENTETER** Aldrich, 1923, *Proc. U.S. natn. Mus.* **63** (6) : 3. Type-species: *Centeter cinerea* Aldrich, 1923, by original designation. JAPAN.

**CEROSOMYIA** Hutton, 1901, *Trans. N.Z. Inst.* **33** : 57. Type-species: *Cerosomyia usitata* Hutton, 1901, by monotypy. NEW ZEALAND.

**CHAETEXORISTA** Brauer & Bergenstamm, 1894, *Denkschr. Akad. Wiss., Wien* **61** : 616. *Musc. Schiz.* **4** : 80. Type-species: *Chaetexorista javana* Brauer & Bergenstamm, 1894, by monotypy. JAVA.

**CHAETOGASTRINA** Malloch, 1929, *Proc. Linn. Soc. N.S.W.* **54** : 313. Type-species: *Chaetogastrina stolida* Malloch, 1929, by original designation. NEW SOUTH WALES.

**CHAETOMYIOBIA** Brauer & Bergenstamm, 1894, *Denkschr. Akad. Wiss., Wien* **61** : 617. *Musc. Schiz.* **4** : 81. Type-species: *Chaetomyobia javana* Brauer & Bergenstamm, 1894, by monotypy. JAVA.

**CHAETOPHTHALMUS** Brauer & Bergenstamm, 1891, *Denkschr. Akad. Wiss., Wien* **58** : 383. *Musc. Schiz.* **2** : 79. Type-species: *Micropalpus brevigaster* Macquart, 1846, by subsequent designation of Townsend, 1916, *Insecutor Inscit. menstr.* **4** : 6. TASMANIA.

Townsend (1939, *Man. Myiol.* **8** : 223) cites *brevigaster* as type-species of *Chaetophthalmus* by designation of Brauer & Bergenstamm, 1893 (*Denkschr. Akad. Wiss., Wien* **60** : 145; *Musc. Schiz.* **3** : 57), but Brauer & Bergenstamm do not give a valid type-fixation for *Chaetophthalmus* since *brevigaster* Macquart is cited as an example only (see Opinion 98 of the International Commission on Zoological Nomenclature): the fixation of Townsend (1916, loc. cit.) is therefore the first valid type-fixation.

**CHAETOPLLETHA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 194. Type-species: *Plethochaetigera (Chaetopletha) centralis* Malloch, 1938, by original designation. NEW ZEALAND. (As subgenus of *Plethochaetigera* Malloch, 1938).

**CHAETOPTILOPSIS** Baranov, 1938, *Bull. ent. Res.* **29** : 411. Type-species: *Chaetoptilopsis burmanica* Baranov, 1938, by original designation. BURMA.

**CHAETOWEBERIA** Villeneuve, 1932, *Bull. Soc. ent. Fr.* **1932** : 271. Type-species: *Weberia rubiginans* Villeneuve, 1932, by original designation. FORMOSA. (As subgenus of *Weberia* Robineau-Desvoidy, 1830).

**CHARITELLA** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 31. Type-species: *Charitella gracilis* Mesnil, 1957, by monotypy. BURMA.

**CHETOGASTER** Macquart, 1851, *Mém. Soc. Sci. Agric. Lille* **1850** : 198. *Dipt. exot. Suppl.* **4** : 225. Type-species: *Chetogaster violacea* Macquart, 1851, by monotypy. AUSTRALIA.

**CHLORODEXIA** Townsend, 1916, *Can. Ent.* **48** : 154. Type-species: *Chlorodexia froggatti* Townsend, 1916, by original designation. NEW SOUTH WALES.

**CHLOROGASTER** Macquart, 1851, *Mém. Soc. Sci. Agric. Lille* **1850** : 157. *Dipt. exot. Suppl.* **4** : 184. Type-species: *Chlorogaster tasmanensis* Macquart, 1851, by monotypy. TASMANIA (probably in error for NEW SOUTH WALES).

Name preoccupied by *Chlorogaster* Swainson, 1839 (Pisces), see *Chlorogastrina* n. n.

**CHLOROGASTRINA** n. n. for *Chlorogaster* Macquart, 1851, preoccupied by *Chlorogaster* Swainson, 1839. Type-species: *Chlorogaster tasmanensis* Macquart, 1851.

**CHLOROGASTROPSIS** Townsend, 1926, *Philipp. J. Sci.* **29** : 544. Type-species: *Chlorogaster rufipes* Schiner, 1868, by original designation. NEW ZEALAND.

- CHLOROPALES** Mesnil, 1950, *Flieg. Palaearkt. Reg.* **64g** : 109. Type-species: *Chloropales luteifacies* Mesnil, 1950, by original designation. NEW GUINEA.
- CHLOROTACHINA** Townsend, 1915, *Proc. biol. Soc. Wash.* **28** : 21. Type-species: *Chrysosoma flaviceps* Macquart, 1851, by original designation. AUSTRALIA.
- CHROMOCHARIS** Enderlein, 1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* **1** : 432. Type-species: *Rutilia atribasis* Walker, 1861, by original designation. BATCHAN (= BATJAN).
- CHRYSOPASTA** Brauer & Bergenstamm, 1889, *Denkschr. Akad. Wiss., Wien* **56** : 152. *Musc. Schiz.* **1** : 84. Type-species: *Chrysopasta versicolor* Brauer & Bergenstamm, 1889, by monotypy. AUSTRALIA.
- CHRYSOPYGIA** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 471. Type-species: *Chrysopygia auricaudata* Townsend, 1933, by original designation. JAVA.
- CHRYSORUTILIA** Townsend, 1915, *Proc. biol. Soc. Wash.* **28** : 23. Type-species: *Rutilia formosa* Robineau-Desvoidy, 1830, by original designation. AUSTRALIA.
- CODIUM** Enderlein, 1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* **1** : 417. Type-species: *Rutilia oblonga* Macquart, 1847, by original designation. AUSTRALIA.
- COMP SILUROIDES** Mesnil, 1953, *Bull. Annls Soc. r. ent. Belg.* **89** : 105. Type-species: *Compsiluroides communis* Mesnil, 1953, by monotypy. BURMA.
- COMPSOPTESIS** Villeneuve, 1915, *Annls hist.-nat. Mus. natn. hung.* **13** : 90. Type-species: *Compsoptesis phoenix* Villeneuve, 1915, by subsequent designation of Townsend, 1931, *Ann. Mag. nat. Hist.* (10) **8** : 388. FORMOSA.
- COSSIDOPHAGA** Baranov, 1934, *Encycl. ent. Série B II*, **7** : 161. Type-species: *Podomyia atkinsoni* Aubertin, 1932, by original designation. INDIA.
- CROSSOTOCNEMA** Bigot, 1885, *Bull. Soc. ent. Fr.* **1885** : cci. Type-species: *Crossotocnema javana* Bigot, 1885, by monotypy. JAVA.
- CRYPSINA** Brauer & Bergenstamm, 1889, *Denkschr. Akad. Wiss., Wien* **56** : 97. *Musc. Schiz.* **1** : 29. Type-species: *Crypsina prima* Brauer & Bergenstamm, 1889, by monotypy. QUEENSLAND.
- CRYPTOSPLYOSIA** Townsend, 1928, *Philipp. J. Sci.* **34** : 388. Type-species: *Cryptosplyosia angustifrons* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.
- CURTOCERA** Macquart, 1835, *Hist. nat. Ins. Dipt.* **2** : 182. Type-species: *Duvaucelia bicincta* Robineau-Desvoidy, 1830. New name for *Duvaucelia* Robineau-Desvoidy, 1830, preoccupied by *Duvaucelia* Riso, 1826.
- CYLINDROMYIELLA** Malloch, 1926, *Philipp. J. Sci.* **31** : 508. Type-species: *Cylindromyiella bakeri* Malloch, 1926, by original designation. PHILIPPINE REPUBLIC.
- CYSTOMETOPIA** Townsend, 1926, *Philipp. J. Sci.* **29** : 531. Type-species: *Heterometopia rufipalpis* Macquart, 1847, by original designation. AUSTRALIA.
- DEGEERIOPSIS** Mesnil, 1953, *Bull. Annls Soc. r. ent. Belg.* **89** : 104. Type-species: *Degeeriopsis xanthogastra* Mesnil, 1953, by monotypy. BURMA.
- DELTA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 332. Type-species: *Delta australiensis* Malloch, 1930, by original designation. WESTERN AUSTRALIA.  
Name preoccupied by *Delta* de Saussure, 1855 (Hymenoptera) and *Delta* Saalmueller, 1891 (Lepidoptera), see *Deltomyza* Malloch, 1931 and *Mallochiola* Strand, 1932.
- DELTOZYZA** Malloch, 1931, *Proc. Linn. Soc. N.S.W.* **56** : 298. Type-species: *Delta australiensis* Malloch, 1930. New name for *Delta* Malloch, 1930, preoccupied by *Delta* de Saussure, 1855 and *Delta* Saalmueller, 1891.
- DEMOTICOIDES** Mesnil, 1953, *Bull. Annls. Soc. r. ent. Belg.* **89** : 150. Type-species: *Demoticoides pallidus* Mesnil, 1953, by monotypy. INDIA.

- DEXIOMIMA** Brauer & Bergenstamm, 1894, *Denkschr. Akad. Wiss., Wien* **61** : 615. *Musc. Schiz.* **4** : 79. Type-species: *Dexiomima javana* Brauer & Bergenstamm, 1894, by monotypy. JAVA.
- DEXIOMIMOPS** Townsend, 1926, *Supplta ent.* **14** : 21. Type-species: *Dexiomimops longipes* Townsend, 1926, by original designation. SUMATRA.
- DEXIOTRIX** Villeneuve, 1936, *Bull. Soc. ent. Égypte* **20** : 330. Type-species: *Dexiotrix longipennis* Villeneuve, 1936, by original designation. CHINA (SZECHWAN).
- DIAPHANIA** Macquart, 1843, *Mém. Soc. Sci. Agric. Lille* **1843** : 277. *Dipt. exot.* **2**, pt. 3 : 120. Type-species: *Diaphania testacea* Macquart, 1843, by monotypy. AUSTRALIA.  
Name preoccupied by *Diaphania* Huebner, 1818 (Lepidoptera), see *Prodiaphania* Townsend, 1927.
- DIATRAEOPHAGA** Townsend, 1916, *Proc. U.S. natn. Mus.* **51** : 320. Type-species: *Diatraeophaga striatalis* Townsend, 1916, by original designation. JAVA.
- DICEPHALOMYIA** Malloch, 1935, *Ann. Mag. nat. Hist.* (10) **16** : 337. Type-species: *Dicephalomyia rufiventris* Malloch, 1935, by original designation. BORNEO.
- DIGLOSSOCERA** Wulp, 1895, *Tijdschr. Ent.* **38** : 51. Type-species: *Diglossocera bifida* Wulp, 1895, by monotypy. JAVA.
- DODDIANA** Curran, 1927, *Ent. Mitt.* **16** : 352. Type-species: *Doddiana pallens* Curran, 1927, by original designation. QUEENSLAND.
- DOLESCHALLA** Walker, 1861, *J. Proc. Linn. Soc.* **5** : 242. Type-species: *Doleschalla cylindrica* Walker, 1861, by monotypy. NEW GUINEA.
- DOLESCHALLOPSIS** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 459. Type-species: *Doleschalla makilingensis* Townsend, 1927, by original designation. PHILIPPINE REPUBLIC.
- DOLICHOCOXYS** Townsend, 1927, *Supplta ent.* **16** : 57. Type-species: *Dolichocoxys femoralis* Townsend, 1927, by original designation. SUMATRA.
- DOLICHOPODOMINTHO** Townsend, 1927, *Ent. Mitt.* **16** : 278. Type-species: *Dolichopodomintho dolichopiformis* Townsend, 1927, by original designation. FORMOSA.
- DONOVANIUS** Enderlein, 1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* **1** : 409. Type-species: *Musca regalis* Guérin-Méneville, 1830, by original designation. AUSTRALIA.
- DRINOMYIA** Mesnil, 1962, *Flieg. Palaearkt. Reg.* **64g** : 759. Type-species: *Oswaldia bicoloripes* Mesnil, 1957, by original designation. JAPAN.
- DUVAUCELIA** Robineau-Desvoidy, 1830, *Mém. prés. div. Sav. Acad. Sci. Inst. Fr.* **2** : 227. Type-species: *Duvaucelia bicincta* Robineau-Desvoidy, 1830, by monotypy. BENGAL.  
Name preoccupied by *Duvaucelia* Risso, 1826 (Mollusca), see *Curtocera* Macquart, 1835.
- ECATOCYPTERA** Townsend, 1927, *Ent. Mitt.* **16** : 285. Type-species: *Ecatocyptera evibrissata* Townsend, 1927, by original designation. FORMOSA.
- ECHRYSOPASTA** Townsend, 1932, *Ann. Mag. nat. Hist.* (10) **9** : 39. Type-species: *Rutilia elegans* Macquart, 1846, by original designation. NEW SOUTH WALES.
- EFFTAYLORIA** Malloch, 1941, *Proc. Linn. Soc. N.S.W.* **66** : 64. Type-species: *Tayloria testacea* Malloch, 1930. New name for *Tayloria* Malloch, 1930, preoccupied by *Tayloria* Bourguignat, 1889.
- EIPOGONOIDES** Curran, 1938, *Proc. Linn. Soc. N.S.W.* **63** : 195. Type-species: *Eipogonoides ruficornis* Curran, 1938, by original designation. NEW SOUTH WALES.
- ELFRIEDELLA** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 69. Type-species: *Elfriedella amoena* Mesnil, 1957, by monotypy. JAPAN.
- ELODIMYIA** Mesnil, 1952, *Flieg. Palaearkt. Reg.* **64g** : 242. Type-species: *Elodimyia tricincta* Mesnil, 1952, by original designation. SUNDA ISLANDS.

**ENGYCERA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 179. Type-species: *Engycera politiventris* Malloch, 1938, by original designation. NEW ZEALAND.

Name preoccupied by *Engycera* Saunders, 1866 (Coleoptera), see *Gracilicera* Miller, 1945.

**EOACEMYIA** Townsend, 1926, *Philipp. J. Sci.* **29** : 529. Type-species: *Eoacemyia bakeri* Townsend, 1926 [= *Tachina errans* Wiedemann, 1824], by original designation. SINGAPORE.

**EOCARCELIA** Townsend, 1919, *Proc. U.S. natn. Mus.* **56** : 582. Type-species: *Eocarcelia ceylanica* Townsend, 1919, by original designation. CEYLON.

**EOCARCELIOPSIS** Townsend, 1928, *Philipp. J. Sci.* **34** : 392. Type-species: *Eocarceliopsis bakeri* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.

**EOCYPTERA** Townsend, 1927, *Ent. Mitt.* **16** : 284. Type-species: *Eocyptra orientalis* Townsend, 1927, by original designation. FORMOSA.

**EOCYPTERULA** Townsend, 1926, *Philipp. J. Sci.* **29** : 540. Type-species: *Eocypterula atra* Townsend, 1926, by original designation. PHILIPPINE REPUBLIC.

**EODEXIOSOMA** Townsend, 1926, *Supplta ent.* **14** : 15. Type-species: *Eodexiosoma sumatrense* Townsend, 1926, by original designation. SUMATRA.

**EODOLICHOCOLON** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 478. Type-species: *Dolichocolon orientale* Townsend, 1927, by original designation. SUMATRA.

**EOGYMNOPHTHALMA** Townsend, 1926, *Supplta ent.* **14** : 35. Type-species: *Eogymnophthalma orientalis* Townsend, 1926 [= *Tachina orbata* Wiedemann, 1830], by original designation. SUMATRA.

**EOMINTHO** Townsend, 1926, *Philipp. J. Sci.* **29** : 531. Type-species: *Eomintho equatorialis* Townsend, 1926, by original designation. SINGAPORE.

**EOMYOCERA** Townsend, 1926, *Philipp. J. Sci.* **29** : 537. Type-species: *Eomyocera carinata* Townsend, 1926 [= *Dexia divergens* Walker, 1857], by original designation. PENANG.

**EOMYOCEROPSIS** Townsend, 1926, *Supplta ent.* **14** : 29. Type-species: *Eomyoceropsis longipennis* Townsend, 1926, by original designation. SUMATRA.

**EOPARACHAETA** Townsend, 1927, *Supplta ent.* **16** : 70. Type-species: *Eoparachaeta orientalis* Townsend, 1927, by original designation. SUMATRA.

**EOPHYLLOPHILA** Townsend, 1926, *Supplta ent.* **14** : 19. Type-species: *Eophyllophila elegans* Townsend, 1926, by original designation. SUMATRA.

**EOPTIODEXIA** Townsend, 1926, *Philipp. J. Sci.* **29** : 535. Type-species: *Eoptilodexia longipes* Townsend, 1926, by original designation. PHILIPPINE REPUBLIC.

**EOZENILLIA** Townsend, 1926, *Philipp. J. Sci.* **29** : 542. Type-species: *Eozenillia equatorialis* Townsend, 1926, by original designation. SINGAPORE.

**EPIXORISTA** Townsend, 1927, *Supplta ent.* **16** : 61. Type-species: *Epixorista episcopa* Townsend, 1927 [= *Isosturmia inversa* Townsend, 1927], by original designation. SUMATRA.

**EPSEUDOCYPTERA** Townsend, 1927, *Philipp. J. Sci.* **33** : 283. Type-species: *Epseudocyptera epalpata* Townsend, 1927, by original designation. PHILIPPINE REPUBLIC.

**EREBIOMIMA** Mesnil, 1953, *Bull. Annls Soc. r. ent. Belg.* **89** : 166. Type-species: *Erebiomima luteisquama* Mesnil, 1953, by monotypy. ? INDIA.

**ERISTALIOMYIA** Townsend, 1926, *Supplta ent.* **14** : 37. Type-species: *Eristaliomyia nitidifrons* Townsend, 1926 [= *Echinomyia brevipennis* Walker, 1857], by original designation. SUMATRA.

**ERYTHRONYCHIA** Brauer & Bergenstamm, 1891, *Denkschr. Akad. Wiss., Wien* **58** : 360. *Musc. Schiz.* **2** : 56. Type-species: *Demoticus australensis* Schiner, 1868, by monotypy. NEW ZEALAND.

**EUAMPHIBOLIA** Townsend, 1916, *Proc. U.S. natn. Mus.* **49** : 618. Type-species: *Rutilia fulvipes* Guérin-Méneville, 1843, by original designation. AUSTRALIA.

**EUCOMPSA** Enderlein, 1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* **1** : 400. Type-species: *Rutilia minor* Macquart, 1846, by original designation. TASMANIA, NEW SOUTH WALES.

**EUCOMUS** Aldrich, 1926, *Proc. U.S. natn. Mus.* **69** (22) : 22. Type-species: *Eucomus strictus* Aldrich, 1926, by original designation. CHINA (SZECHWAN).

**EUFISCHERIA** Brauer & Bergenstamm, 1891, *Denkschr. Akad. Wiss., Wien* **58** : 374. *Musc. Schiz.* **2** : 70. Type-species: *Eufischeria ceylanica* Brauer & Bergenstamm, 1891, by monotypy. CEYLON.

**EUGYMNOCHAETOPSIS** Townsend, 1927, *Ent. Mitt.* **16** : 287. Type-species: *Eugymnochaetopsis lateralis* Townsend, 1927, by original designation. FORMOSA.

**EUHAPALIVORA** Gardner, 1940, *Indian J. Ent.* **2** : 179. Nomen nudum, unavailable.

Gardner (1940, *Indian J. Ent.* **2** : 179) published the name *Euhapalivora* in the binomen *Euhapalivora indica* which he attributed to Baranov; Baranov, however, never published this name. The specific name *indica* is available under Article 11(g) (ii) of the *International Code of Zoological Nomenclature* and is attributable to Gardner, but the generic name *Euhapalivora* is not accompanied by a definition of the generic taxon and does not fulfil the requirements of Article 13(a) of the *Code*; it is therefore an unavailable nomen nudum.

**EUHYGIA** Mesnil, 1960, *Flieg. Palaearkt. Reg.* **64g** : 645. Unavailable.

The generic name *Euhygia*, proposed by Mesnil (1960, *Flieg. Palaearkt. Reg.* **64g** : 645) for the Oriental species *Hygia robusta* Mesnil, 1952, is not accompanied by a definition of the generic taxon and is at present unavailable under Article 13 (a) of the *International Code of Zoological Nomenclature*.

**EUHYPOCHAETOPSIS** Townsend, 1928, *Philipp. J. Sci.* **34** : 394. Type-species: *Euhypo-chaetopsis orientalis* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.

**EUPALPOCYPTERA** Townsend, 1927, *Ent. Mitt.* **16** : 286. Type-species: *Eupalpocyptra angusticauda* Townsend, 1927, by original designation. FORMOSA.

**EUPHASIA** Townsend, 1908, *Smithson. misc. Collns* **51** (1803) : 76. New name for *Neophasia* Brauer & Bergenstamm, 1893, preoccupied by *Neophasia* Behr, 1869.

Name preoccupied by *Euphasia* Stephens, 1830 (Lepidoptera) and *Euphasia* Mulsant and Verreaux, 1876 (Aves), see *Neximyia* n.n.

**EUPROCTIMYIA** Villeneuve, 1921, *Ann. Soc. ent. Belg.* **61** : 157. Type-species: *Euproctimyia pyrrhaspis* Villeneuve, 1921, by monotypy. INDIA.

**EURYGASTROPSIS** Townsend, 1916, *Can. Ent.* **48** : 158. Type-species: *Eurigaster tasmaniae* Walker, 1858, by original designation. TASMANIA.

**EUSTACOMYIA** Malloch, 1927, *Proc. Linn. Soc. N.S.W.* **52** : 337. Type-species: *Eustacomya breviseta* Malloch, 1927, by original designation. NEW SOUTH WALES.

**EUTHELAIROSOMA** Townsend, 1926, *Supplta ent.* **14** : 32. Type-species: *Euthelairo-soma chaetopygiale* Townsend, 1926, by original designation. SUMATRA.

**EUTORROCCA** Townsend, 1919, *Proc. U.S. natn. Mus.* **56** : 554. Type-species: *Eutorrocca fasciata* Townsend, 1919, by original designation. CEYLON.

**EUTRIXOPSIS** Townsend, 1919, *Insecutor Inscit. menstr.* **6** : 166. Type-species: *Eutrixopsis javana* Townsend, 1919, by original designation. JAVA.

**EVUVESPIVORA** Baranov, 1942, *Vet. Arh.* **12** : 162. Type-species: *Euvespivora orientalis* Baranov, 1942, by original designation. JAVA.

**EVERESTIOMYIA** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 466. Type-species: *Everestiomya antennalis* Townsend, 1933, by original designation. MOUNT EVEREST.

**EXECHOPALPUS** Macquart, 1847, *Mém. Soc. Sci. Agric. Lille* **1846** : 91. *Dipt. exot. Suppl. 2* : 75. Type-species: *Exechopalpus rufipalpus* Macquart, 1847, by monotypy. AUSTRALIA.

**FERIOLA** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 77. Type-species: *Feriola longicornis* Mesnil, 1957, by monotypy. BURMA.

**FORMICOPHANIA** Townsend, 1916, *Proc. U.S. natn. Mus.* **51** : 322. Type-species: *Formicophania elegans* Townsend, 1916, by original designation. THAILAND.

**FORMOSIA** Guérin-Méneville, 1843, *Rev. Zool. Soc. Cuvier.* **6** : 263. Type-species: *Musca mirabilis* Guérin-Méneville, 1830, by monotypy. OFFAK.

**FORMOSODORIA** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 475. Type-species: *Sturmia dilabida* Villeneuve, 1916, by original designation. SOUTH AFRICA.

Townsend cited Formosa in the original description and the generic name alludes to this locality; although the type-species occurs in Formosa it was described from Natal.

**FORMOSOLOPHOSIA** Townsend, 1927, *Ent. Mitt.* **16** : 280. Type-species: *Formosolophosia hemydoides* Townsend, 1927, by original designation. FORMOSA.

**FROGGATTIMYIA** Townsend, 1916, *Can. Ent.* **48** : 155. Type-species: *Froggattimyia hirta* Townsend, 1916, by original designation. NEW SOUTH WALES.

**FRONTINIELLOPSIS** Townsend, 1927, *Supplta ent.* **16** : 61. Type-species: *Frontiniellopsis sumatrensis* Townsend, 1927, by original designation. SUMATRA.

**GAEDIOGONIA** Townsend, 1927, *Supplta ent.* **16** : 71. Type-species: *Gaediogonia jacobsoni* Townsend, 1927 [= *Tachina rufifrons* Wiedemann, 1830], by original designation. SUMATRA.

**GASTROPTILOPS** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 78. Type-species: *Gastrop tilops ater* Mesnil, 1957, by monotypy. JAPAN.

**GENOTRICHIA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 164. Type-species: *Genotrichia tonnoiri* Malloch, 1938, by original designation. NEW ZEALAND.

**GERALDIA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 327. Type-species: *Geraldia hirticeps* Malloch, 1930, by original designation. WESTERN AUSTRALIA.

**GERMARIOCHAETA** Villeneuve, 1937, *Bull. Mus. r. Hist. nat. Belg.* **13** (34) : 5. Type-species: *Germariochaeta clavata* Villeneuve, 1937, by monotypy. CHINA (SOOCHOW).

**GEROCYPTERA** Townsend, 1916, *Ent. News* **27** : 178. Type-species: *Trichoprosopa marginalis* Walker, 1860, by original designation. AMBOYNA.

**GEROTACHINA** Townsend, 1916, *Can. Ent.* **48** : 152. Type-species: *Tachina obtusa* Walker, 1852, by original designation. NEW SOUTH WALES.

**GLOSSOSALIA** Mesnil, 1947, *Encycl. ent. Série B II*, **10** : 62. Invalid, no fixation of type-species (two included species). Mesnil, 1960, *Flieg. Palaearkt. Reg.* **64g** : 606. Type-species: *Phorocera grandis* Macquart, 1851, by original designation. AUSTRALIA. (As subgenus of *Spoggiosa* Rondani, 1859). Valid with date 1960.

**GONANAMASTAX** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 472. Type-species: *Blepharipeza goniaeformis* Macquart, 1846, by original designation. TASMANIA.

**GONIOPHANA** Brauer & Bergenstamm, 1889, *Denkschr. Akad. Wiss., Wien* **56** : 97. *Musc. Schiz.* **1** : 29. Type-species: *Gonia heterocera* Macquart, 1846, by original designation. AUSTRALIA.

**GONIOPHYTO** Townsend, 1927, *Ent. Mitt.* **16** : 281. Type-species: *Goniophyto formosensis* Townsend, 1927, by original designation. FORMOSA.

**GRACILICERA** Miller, 1945, *Proc. R. ent. Soc. Lond. (B)* **14** : 72. Type-species: *Engycera politiventris* Malloch, 1938. New name for *Engycera* Malloch, 1938, preoccupied by *Engycera* Saunders, 1866.

**GRAPHIA** Wulp, 1885, *Tijdschr. Ent.* **28** : 196. Type-species: *Graphia strigosa* Wulp, 1885, by monotypy. HALMAHERA.

**GRAPHOLOSTYLM** Macquart, 1851, *Mém. Soc. Sci. Agric. Lille* **1850** : 196. *Dipt. exot.* Suppl. **4** : 223. Type-species: *Grapholostylum dorsomaculatum* Macquart, 1851, by monotypy. TASMANIA (probably in error for NEW SOUTH WALES).

**GRAPHOTACHINA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 238. Type-species: *Graphotachina sinuata* Malloch, 1938, by original designation. NEW ZEALAND.

**GYMNAMEDORIA** Townsend, 1927, *Ent. Mitt.* **16** : 283. Type-species: *Gymnamedoria medinoides* Townsend, 1927 [= *Succingulum transvittatum* Pandellé, 1896], by original designation. FORMOSA.

**HABROTA** Enderlein, 1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* **1** : 399. Type-species: *Rutilia formosa* Robineau-Desvoidy, 1830, by original designation. AUSTRALIA.

**HALIDAYOPSIS** Townsend, 1927, *Ent. Mitt.* **16** : 282. Type-species: *Halidayopsis formosensis* Townsend, 1927, by original designation. FORMOSA.

**HAMAXIA** Walker, 1860, *J. Proc. Linn. Soc.* **5** : 153. Type-species: *Hamaxia incongrua* Walker, 1860, by monotypy. AMBOYNA.

**HAPALIOLOEMUS** Baranov, 1934, *Encycl. ent. Série B II*, **7** : 162. Type-species: *Hapalioloemus machaeralis* Baranov, 1934, by original designation. INDIA.

In the original publication this name is spelled *Hepalioloemus* in the generic heading but *Hapalioloemus* in the description of the type-species: as the name is based on *Hapalia*, generic name of the host, the spelling *Hepalioloemus* is an inadvertent error.

**HEGA** Enderlein, 1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* **1** : 421. Type-species: *Hega viridicingens* Enderlein, 1936, by original designation. BATJAN.

**HEMIDEGEERIA** Villeneuve, 1929, *Bull. Annls Soc. r. ent. Belg.* **69** : 66. Type-species: *Hemidegeeria bicincta* Villeneuve, 1929, by subsequent designation of Townsend, 1932, *Ann. Mag. nat. Hist.* (10) **9** : 36. FORMOSA.

**HEMILINNAEMYIA** Villeneuve, 1932, *Bull. Soc. ent. Fr.* **1932** : 269. Type-species: *Hemilinnaemyia decorata* Villeneuve, 1932, by original designation. FORMOSA.

**HEPALIOLOEMUS** Baranov, 1934. See *Hapalioloemus*.

**HERTINGIA** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 12. Type-species: *Crossocosmia (Hertingia) pauciseta* Mesnil, 1957, by original designation. JAPAN. (As subgenus of *Crossocosmia* Mik, 1890).

**HETERIA** Malloch, 1930, *Rec. Canterbury Mus.* **3** : 325. Type-species: *Heteria appendiculata* Malloch, 1930, by original designation. NEW ZEALAND.

**HETEROMETOPIA** Macquart, 1846, *Mém. Soc. Sci. Agric. Lille* **1844** : 298. *Dipt. exot.* Suppl. **1** : 170. Type-species: *Heterometopia argentea* Macquart, 1846, by monotypy. TASMANIA.

**HEXAMERA** Brauer & Bergenstamm, 1889, *Denkschr. Akad. Wiss., Wien* **56** : 132. *Musc. Schiz.* **1** : 64. Type-species: *Hystricia orientalis* Schiner, 1868, by monotypy. NEW ZEALAND.

**HILLIA** Malloch, 1929, *Proc. Linn. Soc. N.S.W.* **54** : 328. Type-species: *Hillia polita* Malloch, 1929, by original designation. NORTHERN TERRITORY (AUSTRALIA).

**HOBARTIA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 127. Type-species: *Hobartia peculiaris* Malloch, 1930, by original designation. TASMANIA.

**HOMOHEXAMERA** Townsend, 1934, *Jl. N.Y. ent. Soc.* **42** : 247. Type-species: *Protohystricia huttoni* Malloch, 1930, by original designation. NEW ZEALAND.

**HOMOTRIXA** Villeneuve, 1914, *Annls hist.-nat. Mus. natn. hung.* **12** : 437. Type-species: *Homotrix brevifacies* Villeneuve, 1914, by monotypy. FORMOSA.

- HUTTONOBESSERIA** Curran, 1927, *Ent. Mitt.* **16** : 354. Type-species: *Phania verecunda* Hutton, 1901, by original designation. NEW ZEALAND.
- HYGIA** Mesnil, 1952, *Flieg. Palaearkt. Reg.* **64g** : 222. Type-species: *Blepharipoda eutachinoides* Baranov, 1932, by original designation. FORMOSA.  
Name preoccupied by *Hygia* Uhler, 1861 (Hemiptera). No replacement name is proposed as *Hygia* Mesnil is currently regarded as a junior subjective synonym of *Chaetexorista* Brauer & Bergenstamm, 1894.
- HYGIELLA** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 28. Type-species: *Hygiella pygidialis* Mesnil, 1957, by monotypy. BURMA.
- HYLEORUS** Aldrich, 1926, *Trans. Amer. ent. Soc.* **52** : 16. Type-species: *Hyleorus furcatus* Aldrich, 1926, by monotypy. QUEENSLAND.
- HYSTRICINA** Malloch, 1932, *Rec. Canterbury Mus.* **3** : 433. Type-species: *Musca lupina* Swederus, 1787, by original designation. NEW ZEALAND.
- HYSTRICOVORIA** Townsend, 1928, *Philipp. J. Sci.* **34** : 395. Type-species: *Hystricovoria bakeri* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.
- IDANIA** Enderlein, 1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* **1** : 408. Type-species: *Idania atrox* Enderlein, 1936, by original designation. PHILIPPINE REPUBLIC.  
The spelling *Jdania* is given in the original description, but Enderlein cites *Idania* as the correct spelling in a footnote on the same page.
- ILLA** Baranov, 1938, *Vet. Arh.* **8** : 171. Type-species: *Illa mirabilis* Baranov, 1938, by original designation. SOLOMON ISLANDS.
- INDOSTURMIA** Townsend, 1932, *Ann. Mag. nat. Hist. (10)* **9** : 49. Type-species: *Indosturmia indica* Townsend, 1932 [= *Crossocosmia indica* Brauer & Bergenstamm, 1893, nomen nudum], by original designation. INDIA.
- ISOCARCELIOPSIS** Baranov, 1934, *Trans. R. ent. Soc. Lond.* **82** : 406. Type-species: *Isocarceliopsis hemimacquartoides* Baranov, 1934, by original designation. FORMOSA.
- ISOCHAETINA** Mesnil, 1950, *Flieg. Palaearkt. Reg.* **64g** : 157. Type-species: *Drino (Isochaetina) dimorpha* Mesnil, 1950, by monotypy. INDIA. (As subgenus of *Drino* Robineau-Desvoidy, 1863).
- ISOSTURMIA** Townsend, 1927, *Supplta ent.* **16** : 67. Type-species: *Isosturmia inversa* Townsend, 1927, by original designation. SUMATRA.
- JANTHINOMYIA** Brauer & Bergenstamm, 1893, *Denkschr. Akad. Wiss., Wien* **60** : 141. *Musc. Schiz.* **3** : 53. Type-species: *Janthinomyia felderri* Brauer & Bergenstamm, 1893, by original designation. INDIA.
- JDANIA** Enderlein, 1936. See *Idania*.
- KAMBAITIMYIA** Mesnil, 1953, *Bull. Annls Soc. r. ent. Belg.* **89** : 163. Type-species: *Kambaitimya carbonata* Mesnil, 1953, by monotypy. BURMA.
- KINABALUIA** Malloch, 1935, *J. fed. Malay St. Mus.* **17** : 683. Type-species: *Kinabaluia viridifulva* Malloch, 1935, by original designation. BORNEO.
- KORALLIOMYIA** Mesnil, 1950, *Flieg. Palaearkt. Reg.* **64g** : 114. Type-species: *Koralliomysia portentosa* Mesnil, 1950, by original designation. INDIA.
- KOSEMPOMYIA** Villeneuve, 1932, *Bull. Annls Soc. r. ent. Belg.* **71** : 243. Type-species: *Kosempomyia tibialis* Villeneuve, 1932, by monotypy. FORMOSA.
- KOSEMPOMYIELLA** Baranov, 1934, *Encycl. ent. Série B II*, **7** : 165. Type-species: *Kosempomyiella rufiventris* Baranov, 1934 [= *Austrophasiopsis formosensis* Townsend, 1933], by original designation. FORMOSA.
- KURINTJIMYIA** Townsend, 1926, *Supplta ent.* **14** : 38. Type-species: *Kurintjimyia jacobsoni* Townsend, 1926, by original designation. SUMATRA.

- KUWANIMYIA** Townsend, 1916, *Proc. U.S. natn. Mus.* **51** : 319. Type-species: *Kuwanimyia conspersa* Townsend, 1916, by original designation. JAPAN.
- LACCURA** Enderlein, 1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* **1** : 431. Type-species: *Rutilia saturatissima* Walker, 1861, by original designation. BATCHAN (= BATJAN).
- LASIOCALYPTER** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 119. Type-species: *Lasiocalypter flavohirta* Malloch, 1930, by original designation. NEW SOUTH WALES.
- LASIOCALYPTRINA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 122. Type-species: *Lasiocalyptrina modesta* Malloch, 1930, by original designation. VICTORIA.
- LEIOSIA** Wulp, 1893, *Tijdschr. Ent.* **36** : 185. Type-species: *Leiosia flavisquama* Wulp, 1893, by monotypy. JAVA.
- LEIOSIOPSIS** Townsend, 1927, *Supplta ent.* **16** : 62. Type-species: *Leiosiopsis aristalis* Townsend, 1927 [= *Isosturmia intermedia* Townsend, 1927], by original designation. SUMATRA.
- LESKIOLA** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 66. Type-species: *Leskiola palpata* Mesnil, 1957, by monotypy. BURMA.
- LEVERELLA** Baranov, 1934, *Vet. Arh.* **4** : 473. Type-species: *Leverella institutiimperialis* Baranov, 1934, by original designation. SOLOMON ISLANDS.
- LOPHOSIOCYPTERA** Townsend, 1927, *Supplta ent.* **16** : 59. Type-species: *Lophosiocyptera lophosiooides* Townsend, 1927, by original designation. SUMATRA.
- LOPHOSIODES** Townsend, 1927, *Ent. Mitt.* **16** : 285. Type-species: *Lophosiodes scutellatus* Townsend, 1927, by original designation. FORMOSA.
- LOPHOSIOPSIS** Townsend, 1928, *Philipp. J. Sci.* **34** : 381. Type-species: *Lophosiopsis costalis* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.
- LYPHOSIA** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 56. Type-species: *Lypha (Lyphosia) barbata* Mesnil, 1957, by monotypy. JAPAN. (As subgenus of *Lypha* Robineau-Desvoidy, 1830).
- MACREUTHERA** Bezzi, 1925, *Proc. Linn. Soc. N.S.W.* **50** : 281. Type-species: *Euthera skusei* Bezzi, 1925, by original designation. QUEENSLAND. (As subgenus of *Euthera* Loew, 1866).
- MACROCHLORIA** Malloch, 1929, *Proc. Linn. Soc. N.S.W.* **54** : 326. Type-species: *Macrochloria calliphorosoma* Malloch, 1929 [= *Nemoreaa nitidiventris* Macquart, 1851], by original designation. NEW SOUTH WALES.
- MACROLOPHOSIA** Brauer & Bergenstamm, 1893, *Denkschr. Akad. Wiss., Wien* **60** : 144. *Musc. Schiz.* **3** : 56. Type-species: *Macrolophosia felderii* Brauer & Bergenstamm, 1893, by monotypy. "O.-Indien" (? EAST INDIES or INDIA).
- MACROPIA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 322. Type-species: *Macropia rufiventris* Malloch, 1930, by original designation. NEW SOUTH WALES.
- MACROPODEXIA** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 462. Type-species: *Dexia longipes* Macquart, 1846, by original designation. TASMANIA.
- MACROSOPHIA** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 459. Type-species: *Macrosophia papua* Townsend, 1933, by original designation. NEW GUINEA.
- MACROZENILLIA** Townsend, 1927, *Supplta ent.* **16** : 68. Type-species: *Macrozenillia aurescens* Townsend, 1927, by original designation. SUMATRA.
- MAKILINGIMYIA** Townsend, 1928, *Philipp. J. Sci.* **34** : 382. Type-species: *Makilingimyia melanoptera* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.
- MALAIOCROCUTA** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 479. Type-species: *Melanophora molitor* Wiedemann, 1824, by original designation. EAST INDIES.

- MALAIISIMYIA** Mesnil, 1953, *Bull. Annls Soc. r. ent. Belg.* **89** : 146. Type-species: *Malaisimyia flavicoxa* Mesnil, 1953, by monotypy. BURMA.
- MALAYIA** Malloch, 1926, *Philipp. J. Sci.* **31** : 510. Type-species: *Malaya fuscinervis* Malloch, 1926, by original designation. MALAYA.
- MALAYOCYPTERA** Townsend, 1926, *Supplta ent.* **14** : 31. Type-species: *Malayocyptera munita* Townsend, 1926, by original designation. SUMATRA.
- MALAYODINERA** Townsend, 1926, *Supplta ent.* **14** : 27. Type-species: *Malayodinera montana* Townsend, 1926, by original designation. SUMATRA.
- MALAYODORIA** Townsend, 1926, *Supplta ent.* **14** : 35. Type-species: *Malayodoria fumipennis* Townsend, 1926, by original designation. SUMATRA.
- MALAYOMEDINA** Townsend, 1926, *Supplta ent.* **14** : 20. Type-species: *Malayomedina petiolata* Townsend, 1926, by original designation. SUMATRA.
- MALLOCHIOLA** Strand, 1932, *Folia zool. hydrobiol.* **4** : 195. New name for *Delta* Malloch, 1930, preoccupied by *Delta* de Saussure, 1855 and *Delta* Saalmueller, 1891. (Invalid). Name preoccupied by *Mallochiola* Bergroth, 1925 (Hemiptera); no replacement name required as *Deltomyza* Malloch, 1931 pre-dates *Mallochiola* Strand, 1932, as a new name for *Delta* Malloch, 1930.
- MALLOCHOMACQUARTIA** Townsend, 1934, *Jl N.Y. ent. Soc.* **42** : 247. Type-species: *Macquartia vexata* Hutton, 1901, by original designation. NEW ZEALAND.
- MASICERELLA** Gardner, 1940, *Indian J. Ent.* **2** : 178. Nomen nudum, unavailable. Gardner (1940, *Indian J. Ent.* **2** : 178) published the name *Masicerella* in the binomen *Masicerella indistincta* which he attributed to Baranov; Baranov, however, never published this name. The specific name *indistincta* is available under Article II (g) (ii) of the International Code of Zoological Nomenclature and is attributable to Gardner, but the generic name *Masicerella* is not accompanied by a definition of the generic taxon and does not fulfil the requirements of Article 13 (a) of the Code; it is therefore an unavailable nomen nudum.
- MEDINACEMYIA** Townsend, 1928, *Philipp. J. Sci.* **34** : 377. Type-species: *Medinacemyia sibuyana* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.
- MEDINELLA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 234. Unavailable. Malloch (1938, *Trans. Proc. R. Soc. N.Z.* **68** : 234–237) gave a generic description for *Medinella* and described four new originally included species from New Zealand. Malloch cited *Medinella unispinosa* n. sp. as type-species, but this is not one of the described species and remains a nomen nudum. *Medinella* is based on a nomen nudum, and the generic name is nomenclaturally unavailable.
- MEDINODEXIA** Townsend, 1927, *Supplta ent.* **16** : 57. Type-species: *Medinodexia fulviventris* Townsend, 1927, by original designation. SUMATRA.
- MEDINOMYIA** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 27. Type-species: *Medinomyia canescens* Mesnil, 1957, by monotypy. BURMA.
- MEGISTOGASTROPSIS** Townsend, 1916, *Ent. News* **27** : 178. Type-species: *Megistogaster wallacei* Brauer & Bergenstamm, 1889 [= *Dexia alulifera* Walker, 1861], by original designation. AMBOYNA.
- MELANASOMYIA** Malloch, 1935, *J. fed. Malay St. Mus.* **17** : 676. Type-species: *Melanasmomyia flavipalpis* Malloch, 1935, by original designation. MALAYA.
- MENEVILLEA** Enderlein, 1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* **1** : 416. Type-species: *Rutilia pellucens* Macquart, 1846, by original designation. AUSTRALIA.
- MESEMBRIOMINTHO** Townsend, 1916, *Can. Ent.* **48** : 158. Type-species: *Mesembriomintho compressa* Townsend, 1916 [= *Sumpigaster fasciatus* Macquart, 1855], by original designation. QUEENSLAND.

- METOPOMINTHO** Townsend, 1927, *Ent. Mitt.* **16** : 283. Type-species: *Metopomintho sauteri* Townsend, 1927, by original designation. FORMOSA.
- METOPOSISYROPS** Townsend, 1916, *Proc. U.S. natn. Mus.* **51** : 320. Type-species: *Metoposisyrops oryzae* Townsend, 1916, by original designation. JAVA.
- MICROCARCELIA** Baranov, 1934, *Trans. R. ent. Soc. Lond.* **82** : 400. Type-species: *Carcelia septima* Baranov, 1931, by original designation. FORMOSA.
- MICROCEROMASIA** Villeneuve, 1911, *Wien. ent. Ztg* **30** : 82. Type-species: *Ceromasia sphenophori* Villeneuve, 1911, by original designation. NEW GUINEA.
- MICROHYSTRICIA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 177. Type-species: *Microhystricia gourlayi* Malloch, 1938, by monotypy. NEW ZEALAND.
- MICROPHYTOMYPTERA** Townsend, 1927, *Ent. Mitt.* **16** : 287. Type-species: *Microphytomyptera minuta* Townsend, 1927, by original designation. FORMOSA.
- MICRORUTILIA** Townsend, 1915, *Proc. biol. Soc. Wash.* **28** : 23. Type-species: *Rutilia minor* Macquart, 1846, by original designation. TASMANIA, NEW SOUTH WALES.
- MICROTROPESA** Macquart, 1846, *Mém. Soc. Sci. Agric. Lille* **1844** : 313. *Dipt. exot. Suppl. 1* : 185. Type-species: *Musca sinuata* Donovan, 1798, by monotypy. AUSTRALIA.
- MINTHOCYPTERA** Townsend, 1926, *Supplta ent.* **14** : 31. Type-species: *Minthocyptra malaya* Townsend, 1926, by original designation. SUMATRA.
- MOLLIOPSIS** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 470. Type-species: *Mollia malayana* Townsend, 1926, by original designation. SUMATRA.
- MONOLEPTOPHAGA** Baranov, 1938, *Bull. ent. Res.* **29** : 411. Type-species: *Monoleptophaga caldwelli* Baranov, 1938, by original designation. QUEENSLAND.
- MONTANARTURIA** Miller, 1945, *Proc. R. ent. Soc. Lond. (B)* **14** : 72. Type-species: *Arthuria dimorpha* Malloch, 1938. New name for *Arthuria* Malloch, 1938, preoccupied by *Arthuria* Dall, 1881.
- MYCTEROMYIA** Mesnil, 1950, *Flieg. Palaearkt. Reg.* **64g** : 107. Type-species: *Mycteromyia laetifica* Mesnil, 1950, by original designation. NEW GUINEA.  
Name preoccupied by *Mycteromyia* Philippi, 1865 (Diptera), see *Mycteromyiella* Mesnil, 1965.
- MYCTEROMYIELLA** Mesnil, 1965, *Bull. Soc. ent. Fr.* **70** : 232. Type-species: *Mycteromyia laetifica* Mesnil, 1950. New name for *Mycteromyia* Mesnil, 1950, preoccupied by *Mycteromyia* Philippi, 1865.
- MYIOFIJIA** Baranov, 1934, *Vet. Arh.* **4** : 478. Type-species: *Myiofijia bezziana* Baranov, 1934, by original designation. FIJI ISLANDS.
- MYIOTRIXA** Brauer & Bergenstamm, 1893, *Denkschr. Akad. Wiss., Wien* **60** : 96. *Musc. Schiz.* **3** : 8. Type-species: *Myiatrixa prosopina* Brauer & Bergenstamm, 1893, by original designation. NORTHERN AUSTRALIA.
- MYOBiomima** Townsend, 1926, *Supplta ent.* **14** : 22. Type-species: *Myobiomima longimana* Townsend, 1926, by original designation. SUMATRA.
- MYXOCARCELIA** Baranov, 1934, *Trans. R. ent. Soc. Lond.* **82** : 398. Type-species: *Carcelia hirsuta* Baranov, 1931, by original designation. FORMOSA.
- NEODUVAUCELIA** Malloch, 1931, *Ann. Mag. nat. Hist. (10)* **7** : 319. Type-species: *Neoduvaucelia aenescens* Malloch, 1931, by original designation. MALAYA.
- NEOERYTHRONYCHIA** Malloch, 1932, *Rec. Canterbury Mus.* **3** : 449. Type-species: *Neoerythronychia hirta* Malloch, 1932, by original designation. NEW ZEALAND.
- NEOMEDINA** Malloch, 1935, *Insects Samoa*, VI, Dipt. **9** : 362. Type-species: *Neomedina atripennis* Malloch, 1935, by original designation. SAMOA.

**NEOPHASIA** Brauer & Bergenstamm, 1893, *Denkschr. Akad. Wiss., Wien* **60** : 100. *Musc. Schiz.* **3** : 12. Type-species: *Neophasia picta* Brauer & Bergenstamm, 1893, by original designation. WESTERN AUSTRALIA.

Name preoccupied by *Neophasia* Behr, 1869 (Lepidoptera), see *Euphasia* Townsend, 1908, and *Neximyia* n. n.

**NEOPHRYXE** Townsend, 1916, *Proc. U.S. natn. Mus.* **51** : 318. Type-species: *Neophryxe psychidis* Townsend, 1916, by original designation. JAPAN.

**NEOPLECTOPS** Malloch, 1930, *J. fed. Malay St. Mus.* **16** : 147. Type-species: *Neoplectops nudibasis* Malloch, 1930, by original designation. MALAYA.

**NEORUTILIA** Malloch, 1936, *Proc. Linn. Soc. N.S.W.* **61** : 17. Type-species: *Rutilia (Neorutilia) simplex* Malloch, 1936, by original designation. QUEENSLAND. (As subgenus of *Rutilia* Robineau-Desvoidy, 1830).

**NEOTACHINA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 240. Type-species: *Neotachina obtusa* Malloch, 1938, by original designation. NEW ZEALAND.

**NEOTRYPHERA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 217. Type-species: *Neotryphera atra* Malloch, 1938, by original designation. NEW ZEALAND.

**NEXIMYIA** n. n. for *Euphasia* Townsend, 1908, preoccupied by *Euphasia* Stephens, 1830. Type-species: *Neophasia picta* Brauer & Bergenstamm, 1893.

*Euphasia* Townsend was proposed as a replacement name for the preoccupied *Neophasia* Brauer & Bergenstamm, but *Euphasia* Townsend is itself preoccupied: *Neximyia* n. n., here proposed as a replacement name for *Euphasia* Townsend, is therefore the valid name for *Neophasia* Brauer & Bergenstamm.

**NOTHYPOSTENA** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 63. Type-species: *Nothypostena aberrans* Mesnil, 1957, by monotypy. BURMA.

**OCCISOR** Hutton, 1901, *Trans. N.Z. Inst.* **33** : 52. Type-species: *Occisor inscitus* Hutton, 1901, by subsequent designation of Townsend, 1916, *Insecutor Inscit. menstr.* **4** : 8. NEW ZEALAND.

**OCHROMEIGENIA** Townsend, 1919, *Proc. U.S. natn. Mus.* **56** : 578. Type-species: *Ochromaegenia ornioides* Townsend, 1919 [= *Hamaxia incongrua* Walker, 1860], by original designation. JAVA.

**OCHROPHASIA** Townsend, 1927, *Philipp. J. Sci.* **33** : 288. Type-species: *Ochrophasia atripennis* Townsend, 1927, by original designation. PHILIPPINE REPUBLIC.

**OCHROPLEURUM** Macquart, 1851, *Mém. Soc. Sci. Agric. Lille* **1850** : 184. *Dipt. exot. Suppl.* **4** : 211. Type-species: *Ochropleurum javanum* Macquart, 1851 [= *Dexia macrospus* Wiedemann, 1830], by monotypy. JAVA.

**OCYPTEROPTYSIS** Townsend, 1916, *Proc. U.S. natn. Mus.* **49** : 630. Type-species: *Ocyptera flavifrons* Macquart, 1851, by original designation. TASMANIA (probably in error for NEW SOUTH WALES).

**OESTROCARA** Townsend, 1935, *Ent. News* **46** : 104. Type-species: *Semisuturia nitidiventris* Malloch, 1927, by original designation. MALAYA.

**OPSOCYPTERA** Townsend, 1927, *Philipp. J. Sci.* **33** : 284. Type-species: *Opsocyptera optima* Townsend, 1927, by original designation. PHILIPPINE REPUBLIC.

**OPSOPHANA** Townsend, 1916, *Can. Ent.* **48** : 153. Type-species: *Masicera rufifacies* Macquart, 1847, by original designation. TASMANIA.

**OPSOPHASIOPS** Townsend, 1915, *Proc. biol. Soc. Wash.* **28** : 22. Type-species: *Myiophasia flava* Coquillett, 1900, by original designation. TASMANIA.

Coquillett (1900, *Proc. Linn. Soc. N.S.W.* **25** : 390) cited West Australia as the type-locality of *Myiophasia flava* in the original description, but the type-material (in Washington) is labelled Tasmania. Aldrich (1922, *Proc. U.S. natn. Mus.* **62** (11) : 5) has noted the discrepancy and Townsend (1938, *Man. Myiol.* **7** : 217) accepts Tasmania.

**ORECTOCERA** Wulp, 1881, *Dipt. Sumatra-Exp.*: 39. Type-species: *Orectocera micans* Wulp, 1881, by monotypy. SUMATRA.

**ORECTOCERINA** Malloch, 1924, *Ann. Mag. nat. Hist.* (9) **14** : 521. Type-species: *Orectocerina atratula* Malloch, 1924 [= *Trischidocera sauteri* Villeneuve, 1915], by original designation. MALAYA.

**ORIENTODORIA** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 477. Type-species: *Tachina orientalis* Wiedemann, 1830, by original designation. EAST INDIES.

**ORILLIOPSIS** Townsend, 1928, *Philipp. J. Sci.* **34** : 396. Type-species: *Orilliopsis orientalis* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.

**ORMIOMINDA** Paramonov, 1955, *Ann. Mag. nat. Hist.* (12) **8** : 125. Type-species: *Ormiominda rieki* Paramonov, 1955, by original designation. QUEENSLAND.

**OXYDEXIOPS** Townsend, 1927, *Philipp. J. Sci.* **33** : 289. Type-species: *Oxydexiops uramyoides* Townsend, 1927, by original designation. PHILIPPINE REPUBLIC.

**OXYPHYLLOMYIA** Villeneuve, 1937, *Bull. Mus. v. Hist. nat. Belg.* **13** (34) : 11. Type-species: *Oxyphyllomyia cordylurina* Villeneuve, 1937, by monotypy. CHINA (SZEHWAN).

**OXYRUTILIA** Townsend, 1926, *Supplta ent.* **14** : 30. Type-species: *Oxyrutilia jacobsoni* Townsend, 1926, by original designation. SUMATRA.

**PALEXORISTA** Townsend, 1921, *Insecutor Inscit. menstr.* **9** : 134. Type-species: *Tachina succini* Giebel, 1862 [= *Masicera solennis* Walker, 1859], by original designation. Probably EAST INDIES.

This genus is based on a specimen in copal, probably of East Indian origin, and at the time of description erroneously supposed to have been a fossil in Baltic amber. See Crosskey (1966, *Proc. R. ent. Soc. Lond.* (B) **35** : 133).

**PALIA** Curran, 1927, *Ent. Mitt.* **16** : 443. Type-species: *Palia aureocauda* Curran, 1927, by original designation. QUEENSLAND.

**PALIANA** Curran, 1927, *Ent. Mitt.* **16** : 445. Type-species: *Paliana basalis* Curran, 1927, by original designation. QUEENSLAND.

**PALPINA** Malloch, 1927, *Ann. Mag. nat. Hist.* (9) **20** : 423. Type-species: *Palpina scutellaris* Malloch, 1927, by original designation. MALAYA.

**PALPOCYPTERA** Townsend, 1927, *Philipp. J. Sci.* **33** : 283. Type-species: *Palpocyptra pulchra* Townsend, 1927, by original designation. PHILIPPINE REPUBLIC.

**PALPOSTOMA** Robineau-Desvoidy, 1830, *Mém. prés. div. Sav. Acad. Sci. Inst. Fr.* **2** : 429. Type-species: *Palpostoma testacea* Robineau-Desvoidy, 1830, by monotypy. AUSTRALIA.

**PALPOSTOMOTRIXA** Townsend, 1927, *Ent. Mitt.* **16** : 277. Type-species: *Palpostomotrix paradoxa* Townsend, 1927, by original designation. CEYLON.

**PANCALA** Enderlein, 1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* **1** : 422. Type-species: *Formosia callipygos* Gerstaecker, 1860, by original designation. NEW GUINEA.

**PARABRACHELIA** Townsend, 1916, *Can. Ent.* **48** : 159. Type-species: *Masicera rufipes* Macquart, 1847, by original designation. TASMANIA.

**PARAGONIA** Mesnil, 1950, *Flieg. Palaearkt. Reg.* **64g** : 106. Type-species: *Paragonia portentosa* Mesnil, 1950, by original designation. WESTERN AUSTRALIA.

**PARALOPHOSIA** Brauer & Bergenstamm, 1889, *Denkschr. Akad. Wiss., Wien* **56** : 164. *Musc. Schiz.* **1** : 96. Type-species: *Ocyptera imbuta* Wiedemann, 1819, by original designation. INDIA.

Brauer & Bergenstamm (*loc. cit.*) record the locality as "Ostindien", but the lectotype of *Ocyptera imbuta* Wiedemann is almost certainly from India (see Crosskey, 1966, *Ann. Mag. nat. Hist.* (13) **8** : 667).

- PARAMPHIBOLIA** Brauer & Bergenstamm, 1891, *Denkschr. Akad. Wiss., Wien* **58** : 389. *Musc. Schiz.* **2** : 85. Type-species: *Rutilia assimilis* Macquart, 1851, by monotypy. AUSTRALIA.
- PARATROPEZA** Paramonov, 1963, *Ann. Mag. nat. Hist. (13)* **6** : 577. Type-species: *Paratropeza flavibasis* Paramonov, 1963, by original designation. NEW GUINEA.
- PAREUPOGONA** Townsend, 1916, *Can. Ent.* **48** : 157. Type-species: *Masicera oblonga* Macquart, 1847, by original designation. TASMANIA.
- PAROPSIVORA** Malloch, 1934, *Proc. Linn. Soc. N.S.W.* **59** : 7. Type-species: *Paropsivora grisea* Malloch, 1934, by original designation. AUSTRALIAN CAPITAL TERRITORY.
- PENTATOMOPHAGA** de Meijere, 1917, *Tijdschr. Ent.* **60** : 246. Type-species: *Pentatomophaga bicincta* de Meijere, 1917, by monotypy. JAVA.
- PENTHOSIOSOMA** Townsend, 1926, *Philipp. J. Sci.* **29** : 538. Type-species: *Penthosiosoma pictipennis* Townsend, 1926, by original designation. PENANG.
- PEREMPTOR** Hutton, 1901, *Trans. N.Z. Inst.* **33** : 56. Type-species: *Perempton egmonti* Hutton, 1901, by subsequent designation of Townsend, 1916, *Insecutor Inscit. menstr.* **4** : 8. NEW ZEALAND.
- PERIGYMNOSOMA** Villeneuve, 1929, *Bull. Annls Soc. r. ent. Belg.* **69** : 68. Type-species: *Perigymnosoma globulum* Villeneuve, 1929, by monotypy. FORMOSA.
- PERILOPHOSIA** Villeneuve, 1927, *Revue zool. afr.* **15** : 221. Type-species: *Perilophosia ocyptera* Villeneuve, 1927, by monotypy. FORMOSA.
- PERRISSINA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 182. Type-species: *Perrissina crocea* Malloch, 1938, by original designation. NEW ZEALAND.
- PERRISSINOIDES** Dugdale, 1961, *Trans. R. Soc. N.Z., Zool.* **1** : 242. Type-species: *Perrissinoides cerambycivorae* Dugdale, 1961, by original designation. NEW ZEALAND.
- PHAONIELLA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 216. Type-species: *Phaoniella bifida* Malloch, 1938, by original designation. NEW ZEALAND.
- PHASIODEXIA** Townsend, 1925, *Ent. Mitt.* **14** : 250. Type-species: *Phasiodesxia flavida* Townsend, 1925, by original designation. SUMATRA.
- PHASIOORMIA** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 447. Type-species: *Phasioormia pallida* Townsend, 1933, by original designation. SINGAPORE.
- PHILIPPODEXIA** Townsend, 1926, *Philipp. J. Sci.* **29** : 533. Type-species: *Philippodexia longipes* Townsend, 1926, by original designation. PHILIPPINE REPUBLIC.
- PHILIPPODORIA** Townsend, 1928, *Philipp. J. Sci.* **34** : 391. Type-species: *Philippodoria fasciata* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.
- PHILIPPOFORMOSIA** Townsend, 1927, *Philipp. J. Sci.* **33** : 282. Type-species: *Philippoformosia splendida* Townsend, 1927, by original designation. PHILIPPINE REPUBLIC.
- PHILIPPOLOPHOSIA** Townsend, 1928, *Philipp. J. Sci.* **34** : 384. Type-species: *Philippolophosia ornata* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.
- PHILOTRICHOSTYLUM** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 460. Type-species: *Trichostylum fasciatum* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.
- PHORCIDELLA** Mesnil, 1947, *Encycl. ent. Série B II*, **10** : 42. Type-species: *Eutachina basalis* Baranov, 1932, by original designation. FORMOSA.
- PHORINIOPHYLAX** Townsend, 1927, *Supplta ent.* **16** : 62. Type-species: *Phoriniophylax phoeda* Townsend, 1927, by original designation. SUMATRA.
- PHOROCEROSOMA** Townsend, 1927, *Supplta ent.* **16** : 61. Type-species: *Phorocerosoma forte* Townsend, 1927 [= *Masicera vicaria* Walker, 1857], by original designation. SUMATRA.

**PHOROCEROSOMA** Malloch, 1929, *Proc. Linn. Soc. N.S.W.* **54** : 327. Type-species: **Phorocerosoma setiventris** Malloch, 1929, by original designation. QUEENSLAND.

Name preoccupied by *Phorocerosoma* Townsend, 1927 (Diptera), see *Phorocerostoma* Malloch, 1930.

**PHOROCEROSTOMA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 326. Type-species: **Phorocerosoma setiventris** Malloch, 1929. New name for *Phorocerosoma* Malloch, 1929, preoccupied by *Phorocerosoma* Townsend, 1927.

**PHRYNACTIA** Townsend, 1926, *Supplta ent.* **14** : 34. Type-species: **Phrynactia petiolata** Townsend, 1926, by original designation. SUMATRA.

**PHRYXOSTURMIA** Townsend, 1927, *Supplta ent.* **16** : 68. Type-species: **Phryxosturmia jacobsoni** Townsend, 1927 [= *Blepharella lateralis* Macquart, 1851], by original designation. SUMATRA.

**PHYTOROPHAGA** Bezzi, 1923, *Treubia* **3** : 411. Type-species: **Phytorophaga ventralis** Bezzi, 1923, by original designation. JAVA.

**PILIMYIA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 329. Type-species: **Pilimyia lasio-phthalma** Malloch, 1930, by original designation. NEW SOUTH WALES.

**PLAGIODEROPHAGUS** Baranov, 1938, *Bull. ent. Res.* **29** : 412. Type-species: **Plagioderophagus niger** Baranov, 1938, by original designation. INDIA.

**PLAGIOMYIA** Curran, 1927, *Ent. Mitt.* **16** : 442. Type-species: **Calcager turbidum** Hutton, 1901, by original designation. NEW ZEALAND.

**PLATERYCIA** Baranov, 1936, *Ann. Mag. nat. Hist. (10)* **17** : 110. Type-species: **Platerycia compressa** Baranov, 1936, by original designation. FORMOSA.

**PLATYTACHINA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 210. Type-species: **Platy-tachina major** Malloch, 1938, by original designation. NEW ZEALAND.

**PLATYTAINIA** Macquart, 1851, *Mém. Soc. Sci. Agric. Lille* **1850** : 178. *Dipt. exot. Suppl.* **4** : 205. Type-species: **Platytaenia maculata** Macquart, 1851, by monotypy. TASMANIA (probably in error for NEW SOUTH WALES).

**PLESIOCYPTERA** Brauer & Bergenstamm, 1893, *Denkschr. Akad. Wiss., Wien* **60** : 144. *Musc. Schiz.* **3** : 56. Type-species: **Ocyptera bicolor** Wiedemann, 1819, by monotypy. INDIA.

Brauer & Bergenstamm (loc. cit.) record the locality as "O. Ind.", suggesting East Indies, but the lectotype of *Ocyptera bicolor* Wiedemann is almost certainly from India (see Crosskey, 1966, *Ann. Mag. nat. Hist. (13)* **8** : 666).

**PLETHOCHAETIGERA** Malloch, 1938, *Trans. Proc. R. Soc. N. Z.* **68** : 191. Type-species: **Plethochaetigera fenwicki** Malloch, 1938, by original designation. NEW ZEALAND.

**PODOMYIA** Brauer & Bergenstamm, 1889, *Denkschr. Akad. Wiss., Wien* **56** : 96. *Musc. Schiz.* **1** : 28. Type-species: **Eurigaster setosa** Doleschall, 1858 [= *Blepharella lateralis* Macquart, 1851], by original designation. AMBOYNA.

**POGONAGALMIA** Enderlein, 1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* **1** : 435. Type-species: **Rutilia hirticeps** Malloch, 1929, by original designation. NEW SOUTH WALES.

**POLYCHAETA** Macquart, 1851, *Mém. Soc. Sci. Agric. Lille* **1850** : 154. *Dipt. exot. Suppl.* **4** : 181. Type-species: **Polychaeta nigra** Macquart, 1851, by monotypy. TASMANIA (probably in error for NEW SOUTH WALES).

**POLYGASTROPTERYX** Mesnil, 1953, *Bull. Annls Soc. r. ent. Belg.* **89** : 161. Type-species: **Polygastropteryx bicoloripes** Mesnil, 1953, by monotypy. BURMA.

**PROCEROMYIA** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 35. Type-species: **Ceromyia (Proceromyia) macronychia** Mesnil, 1957, by monotypy. JAPAN. (As subgenus of *Ceromyia* Robineau-Desvoidy, 1830).

- PRODEGEERIA** Brauer & Bergenstamm, 1894, *Denkschr. Akad. Wiss., Wien* **61** : 617. *Musc. Schiz.* **4** : 81. Type-species : *Prodegeeria javana* Brauer & Bergenstamm, 1894, by monotypy. JAVA.
- PRODIAPHANIA** Townsend, 1927, *Ent. News* **38** : 159. Type-species: *Diaphania testacea* Macquart, 1843. New name for *Diaphania* Macquart, 1843, preoccupied by *Diaphania* Huebner, 1818.
- PROFERIA** Mesnil, 1953, *Bull. Annls Soc. r. ent. Belg.* **89** : 149. Unavailable, no fixation of a type-species.
- Proferia* was described with two originally included species, neither of which was fixed as type-species; it is invalid under Article 13(b) of the *International Code of Zoological Nomenclature*.
- PROHYPOTACHINA** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 464. Type-species: *Prohypotachina rutiloides* Townsend 1933, by original designation. NORTH VIETNAM (TONKING).
- PROMEDINA** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 26. Type-species: *Promedina japonica* Mesnil, 1957, by original designation. JAPAN.
- PROMINTHO** Townsend, 1926, *Supplta ent.* **14** : 23. Type-species: *Promintho sungayana* Townsend, 1926, by original designation. SUMATRA.
- PROPARATHELAIRA** Townsend, 1928, *Philipp. J. Sci.* **34** : 378. Type-species: *Proparathelaira plumosa* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.
- PROPHORICHAETA** Townsend, 1928, *Philipp. J. Sci.* **34** : 390. Type-species: *Prophorichaeta philippina* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.
- PRIORIEDELIA** Mesnil, 1953, *Bull. Annls Soc. r. ent. Belg.* **89** : 164. Type-species: *Prioriedelia petiolata* Mesnil, 1953, by monotypy. BURMA.
- PROSCISSIO** Hutton, 1901, *Trans. N.Z. Inst.* **33** : 54. Type-species: *Proscissio montana* Hutton, 1901, by subsequent designation of Townsend, 1916, *Insecutor Inscit. menstr.* **4** : 8. NEW ZEALAND.
- PROSENINA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 116. Type-species: *Prosenina nicholsoni* Malloch, 1930, by original designation. NEW SOUTH WALES.
- PROSENOSOMA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 189. Type-species: *Prosenosoma greyi* Malloch, 1938, by original designation. NEW ZEALAND.
- PROSENOSTOMA** Townsend, 1932, *Ann. Mag. nat. Hist.* (10) **9** : 39. Type-species: *Senostoma flavipes* Brauer & Bergenstamm, 1889, by original designation. WESTERN AUSTRALIA.
- PROSHELIOMYIA** Brauer & Bergenstamm, 1891, *Denkschr. Akad. Wiss., Wien* **58** : 375. *Musc. Schiz.* **2** : 71. Type-species: *Prosheliomyia nietneri* Brauer & Bergenstamm, 1891, by monotypy. CEYLON.
- PROSOPHIA** Townsend, 1927, *Supplta ent.* **16** : 58. Type-species: *Prosophia kloofia* Townsend, 1927, by original designation. SUMATRA.
- PROSOPODOPSIS** Townsend, 1926, *Philipp. J. Sci.* **29** : 542. Type-species: *Tachina fasciata* Wiedemann, 1830, by original designation. MACAO.
- PROSOPOFONTINA** Townsend, 1926, *Supplta ent.* **14** : 33. Type-species: *Prosopofontina pulchra* Townsend, 1926, by original designation. SUMATRA.
- PROSTURMIA** Townsend, 1927, *Supplta ent.* **16** : 69. Type-species: *Prosturmia profana* Townsend, 1927 [= *Masicera solennis* Walker, 1859], by original designation. SUMATRA.
- PROTOHYSTRICIA** Malloch, 1929, *Proc. Linn. Soc. N.S.W.* **54** : 341. Type-species: *Hystricia pachyprocta* Nowicki, 1875 [= *Hystricia orientalis* Schiner, 1868], by original designation. NEW ZEALAND.
- PROTOMEIGENIA** Townsend, 1916, *Can. Ent.* **48** : 156. Type-species: *Protomeigenia aurea* Townsend, 1916, by original designation. NEW SOUTH WALES.

- PROTONEMORAEA** Baranov, 1935, *Vet. Arh.* **5** : 556. Type-species: *Protonemoraea japanica* Baranov, 1935, by original designation. JAPAN.
- PSARONIA** Enderlein, 1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* **1** : 414. Type-species: *Psaronia bisetosa* Enderlein, 1936, by original designation. WESTERN AUSTRALIA.
- PSARONIELLA** Enderlein, 1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* **1** : 417. Type-species: *Rutilia castanipes* Bigot, 1880, by original designation. AUSTRALIA.
- PSEUDACTIA** Malloch, 1930, *J. fed. Malay St. Mus.* **16** : 124. Type-species: *Actia (Pseudactia) hirticeps* Malloch, 1930, by monotypy. MALAYA. (As subgenus of *Actia* Robineau-Desvoidy, 1830).
- PSEUDOBRULLAEA** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 74. Type-species: *Pseudobrulla aberrans* Mesnil, 1957, by monotypy. BURMA.
- PSEUDOCYPTERA** Brauer & Bergenstamm, 1893, *Denkschr. Akad. Wiss., Wien* **60** : 143. *Musc. Schiz.* **3** : 55. Type-species: *Pseudocyptera obscura* Brauer & Bergenstamm, 1893, by monotypy. INDIA.
- Brauer & Bergenstamm (loc. cit.) cite the locality as "O. Ind.", but India and not East Indies is the more probable type-locality.
- PSEUDOFORMOSIA** Brauer & Bergenstamm, 1889, *Denkschr. Akad. Wiss., Wien* **56** : 126. *Musc. Schiz.* **1** : 58. Type-species: *Formosia moneta* Gerstaeker, 1860, by monotypy. NEW GUINEA.
- PSEUDOKEA** Townsend, 1928, *Philipp. J. Sci.* **34** : 393. Type-species: *Pseudokea neowin-themoides* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.
- PSEUDOPALPOSTOMA** Townsend, 1926, *Philipp. J. Sci.* **29** : 533. Type-species: *Palpostoma desvoidyi* Aldrich, 1922, by original designation. QUEENSLAND.
- PSEUDORECTOCERA** Townsend, 1928, *Philipp. J. Sci.* **34** : 385. Type-species: *Pseudorectocera albifacies* Townsend, 1928 [= *Tachina beelzebul* Wiedemann, 1830], by original designation. PHILIPPINE REPUBLIC.
- PSEUDOSERVILLIA** Townsend, 1916, *Ent. News* **27** : 178. Type-species: *Echinomyia flavopilosa* Bigot, 1888, by original designation. JAVA.
- PSEUDOTRICHOPODA** Malloch, 1933, *Proc. Linn. Soc. N.S.W.* **58** : 77. Type-species: *Pseudotrichopoda varipes* Malloch, 1933 [= *Saralba ocypterooides* Walker, 1865], by original designation. QUEENSLAND.
- PYGIDIA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 330. Type-species: *Pygidia rufolateralis* Malloch, 1930, by original designation. NEW SOUTH WALES.
- Name preoccupied by *Pygidia* Mulsant & Rey, 1861 (Coleoptera), see *Pygidimyia* n. n.
- PYGIDIMYIA** n. n. for *Pygidia* Malloch, 1930, preoccupied by *Pygidia* Mulsant & Rey, 1861. Type-species: *Pygidia rufolateralis* Malloch, 1930.
- PYGOCALCAGER** Townsend, 1935, *Ent. News* **46** : 215. Type-species: *Calcager humeratum* Hutton, 1901, by original designation. NEW ZEALAND.
- QUADRA** Malloch, 1929, *Proc. Linn. Soc. N.S.W.* **54** : 320. Type-species: *Quadra ornata* Malloch, 1929, by original designation. WESTERN AUSTRALIA.
- RHAPHIS** Wulp, 1885, *Tijdschr. Ent.* **28** : 199. Type-species: *Rhaphis elongata* Wulp, 1885, by monotypy. CEYLON.
- RHINAPLOMYIA** Mesnil, 1955, *Flieg. Palaearkt. Reg.* **64g** : 441. Type-species: *Carcelia nasuta* Villeneuve, 1937, by original designation. CHINA (SZECHWAN).
- RHINOMYOBIA** Brauer & Bergenstamm, 1893, *Denkschr. Akad. Wiss., Wien* **60** : 140. *Musc. Schiz.* **3** : 52. Type-species: *Rhinomyobia australis* Brauer & Bergenstamm, 1893, by monotypy. AUSTRALIA.
- RHINOMYODES** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 474. Type-species: *Rhinomyodes emporomyioides* Townsend, 1933, by original designation. FORMOSA.

**RHYNCHIODEXIA** Bigot, 1885, *Bull. Soc. ent. Fr.* **1885** : xi. Type-species: *Rhynchiodexia tenuipes* Bigot, 1885, by monotypy. NEW CALEDONIA.

**RUTILIA** Robineau-Desvoidy, 1830, *Mém. prés. div. Sav. Acad. Sci. Inst. Fr.* **2** : 319. Type-species: *Tachina vivipara* Fabricius, 1805, by PRESENT DESIGNATION (see discussion). Probably AUSTRALIA (*Insulis maris pacifici*).

The citations of a type-species for *Rutilia* Robineau-Desvoidy until now existing in the literature are invalid under the *International Code of Zoological Nomenclature* (for reasons discussed further below) as type-designations for this genus, and *Tachina vivipara* Fabricius, 1805, is therefore here designated as type-species.

The mention of the single species *Rutilia desvoidyi* Guérin-Méneville, 1843, in *Rutilia* by Brauer & Bergenstamm (1889, *Denkschr. Akad. Wiss., Wien* **56** : 152) does not constitute type-fixation since this species was cited only as an example of the genus (Opinion 98 of the International Commission on Zoological Nomenclature) and is not an originally included nominal species. To fix a type-species Townsend (1916, *Insecutor Inscit. menstr.* **4** : 8) designated "*Rutilia vivipara RD*", and this is the earliest type-designation for *Rutilia* (which has four originally included nominal species, one of which is *Tachina vivipara* Fabricius) : this designation is however invalid on two grounds. Townsend's designation is not amplified by any statement other than "*Rutilia vivipara RD*" and it is therefore not clear whether this is intended to mean the species supposedly misidentified by Robineau-Desvoidy as *vivipara* Fabricius or whether Townsend meant the true *vivipara* Fabricius ; the designation is made in an ambiguous manner and is invalid under Article 67(c) of the *Code*. If, as seems probable from Townsend's later work, he meant *vivipara* in the sense of Robineau-Desvoidy, not of Fabricius, the designation is also invalid on the ground that "*Rutilia vivipara RD*" is not an originally included nominal species: a nominal species is a named species objectively defined by its type-specimen (*Code*, Glossary : 152), and the only species named *vivipara* and mentioned by Robineau-Desvoidy is *Tachina vivipara* Fabricius defined by the Fabrician type-material (now lost); there is no nominal species *Rutilia vivipara RD* and the designation of Townsend is therefore an invalid subsequent designation (Article 69 (a)).

Guérin-Méneville (1843, *Rev. Zool.* **1843** : 264), on the basis of discrepancies between the descriptions of Fabricius and Robineau-Desvoidy, considered that the latter author had misidentified *Tachina vivipara* Fabricius, and that the species actually seen by Robineau-Desvoidy was undescribed when Robineau-Desvoidy described *Rutilia*. Guérin-Méneville (1843, *Rev. Zool.* **1843** : 269) himself described the species supposedly misidentified by Robineau-Desvoidy as *Rutilia desvoidyi* Guérin-Méneville, and Engel (1925, *Zool. Jb.* **50** : 361) and Townsend (1936, *Man. Myiol.* **3** : 153) have cited *Rutilia desvoidyi* G.-M. as the type-species of *Rutilia*; but *desvoidyi* is not an originally included nominal species and neither of these citations is a valid type-designation.

Enderlein (1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* **1** : 428-429) and Townsend (1938, *Man. Myiol.* **7** : 422) both cited *Rutilia desvoidyi* Guérin-Méneville as the type-species of *Rutilia* but made it clear at the same time that they considered it to be the same as *Rutilia vivipara* Robineau-Desvoidy, nec Fabricius; however this does not provide a valid type-designation for *Rutilia* under Article 69 (a) (iv) since *Rutilia vivipara* Robineau-Desvoidy is not a nominal species (see above). Article 70 (b) on deliberate use of misidentification applies only to new nominal genera established by the designator and is not germane to the present case (which is not one requiring a Commission ruling under Article 70).

In the absence of a previous valid type-designation I am here designating *Tachina vivipara* Fabricius, 1805, as the type-species of *Rutilia* Robineau-Desvoidy. This selection does not affect the generic concept of *Rutilia*, but it should be noted that the generic name *Stiraulax* Enderlein, 1936, becomes a junior objective synonym of *Rutilia* since it is also based on *vivipara* Fabricius. The name *Rutilia vivipara* (Fabricius) is in current use for the commonest brown-coloured *Rutilia* species ranging from Cape York to Tasmania, and the choice of *vivipara* Fabricius (rather than another species) as type-species is preferred by Australian specialists (Colless, personal communication).

**RUTILODEXIA** Townsend, 1915, *Proc. biol. Soc. Wash.* **28** : 23. Type-species: *Rutilia angustipennis* Walker, 1859, by original designation. ARU ISLANDS.

**RUTILOTRIXA** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 448. Type-species: *Trixia lateralis* Walker, 1849, by original designation. AUSTRALIA.

No type-locality was cited by Walker (1849, *List. Spec. dipt. Ins. Coll. Brit. Mus.* **4** : 699) in the original description of *Trixia lateralis* but Austen has at some time labelled the female holotype (in British Museum) "Australia. Purchd. at Mr. Children's sale 407 a.", and Townsend therefore cited Australia in the description of *Rutilotrix*. This locality may be accepted as correct, although no other Australian material has yet been identified as *lateralis*.

**SARALBA** Walker, 1865, *J. Proc. Linn. Soc.* **8** : 114. Type-species: *Saralba ocypterooides* Walker, 1865, by monotypy. NEW GUINEA.

**SCAPHIMYIA** Mesnil, 1955, *Flieg. Palaearkt. Reg.* **64g** : 422. Type-species: *Scaphimyia castanea* Mesnil, 1955, by original designation. NORTH VIETNAM (TONKIN).

**SCHISTOCHELUS** Aldrich, 1932, *Proc. U.S. natn. Mus.* **81** (9) : 18. Type-species: *Schistochelus aristatum* Aldrich, 1932 [= *Diatraeophaga striatalis* Townsend, 1916], by original designation. JAVA.

**SCHIZACTIANA** Curran, 1927, *Ent. Mitt.* **16** : 356. Type-species: *Actia (Schizactiana) valida* Curran, 1927, by original designation. QUEENSLAND. (As subgenus of *Actia* Robineau-Desvoidy, 1830).

**SCHIZOCEROMYIA** Townsend, 1926, *Philipp. J. Sci.* **29** : 542. Type-species: *Schizotachina fergusoni* Bezzi, 1923, by original designation. NEW SOUTH WALES.

**SCOLOGASTER** Aldrich, 1926, *Insecutor Inscit. menstr.* **14** : 52. Type-species: *Scologaster fuscipennis* Aldrich, 1926 [= *Janthinomyia felderii* Brauer and Bergenstamm, 1893], by original designation. CHINA (SZECHWAN).

**SCOTIELLA** Mesnil, 1940, *Bull. Soc. ent. Fr.* **45** : 39. Type-species: *Exorista (Scotiella) bisetosa* Mesnil, 1940, by original designation. CHINA, JAVA. (As subgenus of *Exorista* Meigen, 1803).

Name preoccupied by *Scotiella* Delo, 1935 (Trilobita), see *Spixomyia* n. n.

**SEMISUTURIA** Malloch, 1927, *Proc. Linn. Soc. N.S.W.* **52** : 339. Type-species: *Semisuturia australis* Malloch, 1927, by original designation. QUEENSLAND.

**SENEGORISTA** Townsend, 1927, *Supplta ent.* **16** : 63. Type-species: *Senegorista sumatrana* Townsend, 1927, by original designation. SUMATRA.

**SENOSTOMA** Macquart, 1847, *Mém. Soc. Sci. Agric. Lille* **1846** : 96. *Dipt. exot. Suppl.* **2** : 80. Type-species: *Senostoma variegata* Macquart, 1847, by monotypy. TASMANIA.

**SERICOTACHINA** Townsend, 1916, *Ent. News* **27** : 178. Type-species: *Paratachina vulpecula* Wulp, 1896, by original designation. JAVA.

**SERICOZENILLIA** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 18. Type-species: *Zenillia (Sericozenillia) albipila* Mesnil, 1957, by monotypy. JAPAN. (As subgenus of *Zenillia* Robineau-Desvoidy, 1830).

**SERVILLINA** Malloch, 1932, *Stylops* **1** : 201. Type-species: *Servillia (Servillina) vesperiformis* Malloch, 1932, by original designation. MALAYA. (As subgenus of *Servillia* Robineau-Desvoidy, 1830).

**SERVILLIODES** Townsend, 1926, *Supplta ent.* **14** : 37. Type-species: *Servilliodes sumatrensis* Townsend, 1926, by original designation. SUMATRA.

**SERVILLIOPSIS** Townsend, 1916, *Proc. U.S. natn. Mus.* **51** : 314. Type-species: *Servilliopsis buccata* Townsend, 1916 [= *Echinomyia flavopilosa* Bigot, 1888], by original designation. JAVA.

**SETASIPHONA** Townsend, 1934, *Jl N.Y. ent. Soc.* **42** : 248. Type-species: *Actia siphonosoma* Malloch, 1930, by original designation. MALAYA.

- SIGELOTROXIS** Aldrich, 1928, *Proc. U.S. natn. Mus.* **74** (8) : 3. Type-species: *Sigelotroxis parvus* Aldrich, 1928, by original designation. CHINA.
- SIMOMA** Aldrich, 1926, *Proc. U.S. natn. Mus.* **69** (22) : 20. Type-species: *Simoma grahami* Aldrich, 1926, by original designation. CHINA (SZECHWAN).
- SISYROPA** Brauer & Bergenstamm, 1889, *Denkschr. Akad. Wiss., Wien* **56** : 163. *Musc. Schiz.* 1 : 95. Type-species: *Tachina thermophila* Wiedemann, 1830, by original designation. JAVA.
- SISYROPODODEXIA** Townsend, 1927, *Philipp. J. Sci.* **33** : 281. Type-species: *Sisyropododexia luteicornis* Townsend, 1927, by original designation. PHILIPPINE REPUBLIC.
- SMIDTIOLA** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 7. Type-species: *Smidtiola varipes* Mesnil, 1957, by monotypy. BURMA.
- SPIROGLOSSA** Doleschall, 1858, *Natuurk. Tijdschr. Ned.-Indie* **17** : 107. Type-species: *Spiroglossa tpus* Doleschall, 1858, by monotypy. AMBOYNA.
- SPIXOMYIA** n. n. for *Scotiella* Mesnil, 1940, preoccupied by *Scotiella* Delo, 1935. Type-species: *Exorista (Scotiella) bisetosa* Mesnil, 1940.
- STENODEXIOPSIS** Townsend, 1926, *Supplta ent.* **14** : 17. Type-species: *Stenodexiopsis sumatrensis* Townsend, 1926, by original designation. SUMATRA.
- STIRIAULAX** Enderlein, 1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* **1** : 428. Type-species: *Tachina vivipara* Fabricius, 1805, by original designation. Probably AUSTRALIA (*Insulis maris pacifici*).
- STURMIODORIA** Townsend, 1928, *Philipp. J. Sci.* **34** : 391. Type-species: *Sturmiodoria facialis* Townsend, 1928, by original designation. PHILIPPINE REPUBLIC.
- STURMIOPSIS** Townsend, 1916, *Proc. U.S. natn. Mus.* **51** : 313. Type-species: *Sturmiosis inferens* Townsend, 1916, by original designation. JAVA.
- STYLOGYNEMYIA** Townsend, 1927, *Ent. Mitt.* **16** : 280. Type-species: *Stylogynemyia cylindrica* Townsend, 1927, by original designation. FORMOSA.
- STYLURODORIA** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 476. Type-species: *Stylurodoria stylata* Townsend, 1933, by original designation. FORMOSA.
- SUENSONOMYIA** Mesnil, 1953, *Bull. Annls Soc. r. ent. Belg.* **89** : 99. Type-species: *Suensonomyia setinervia* Mesnil, 1953, by monotypy. CHINA.
- SUMATRODEXIA** Townsend, 1926, *Supplta ent.* **14** : 26. Type-species: *Sumatrodexia brevirostris* Townsend, 1926 [= *Dexia extendens* Walker, 1857], by original designation. SUMATRA.
- SUMATRODORIA** Townsend, 1927, *Supplta ent.* **16** : 64. Type-species: *Sumatrodoria summaria* Townsend, 1927, by original designation. SUMATRA.
- SUMATROSTURMIA** Townsend, 1927, *Supplta ent.* **16** : 70. Type-species: *Sumatrosturmia orbitalis* Townsend, 1927, by original designation. SUMATRA.
- SUMATROTACHINA** Townsend, 1927, *Supplta ent.* **16** : 59. Type-species: *Sumatrotachina facialis* Townsend, 1927, by original designation. SUMATRA.
- SUMPIGASTER** Macquart, 1855, *Mém. Soc. Sci. Agric. Lille* **1854** : 124. *Dipt. exot. Suppl.* 5 : 104. Type-species: *Sumpigaster fasciatus* Macquart, 1855, by monotypy. QUEENSLAND.
- TACHINEO** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 243. Type-species: *Tachina clarkii* Hutton, 1901, by original designation. NEW ZEALAND. (As subgenus of *Neotachina* Malloch, 1938).
- TACHINODEXIA** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 457. Type-species: *Tachina flavipennis* Wiedemann, 1824, by original designation. INDIA or EAST INDIES (cited by Wiedemann as "Ind. or." or "Ostindien").

**TAKANOELLA** Baranov, 1935, *Vet. Arh.* **5** : 558. Type-species: *Takanoella parvicornis* Baranov, 1935, by original designation. JAPAN.

**TAKANOMYIA** Mesnil, 1957, *Mém. Soc. r. ent. Belg.* **28** : 10. Type-species: *Takanomyia scutellata* Mesnil, 1957, by monotypy. JAPAN.

**TALARACTIA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 305. Type-species: *Actia (Talaractia) baldwini* Malloch, 1930, by original designation. QUEENSLAND. (As subgenus of *Actia* Robineau-Desvoidy, 1830).

In the original publication this name is spelled *Tararactia* in the subgeneric heading but *Talaractia* in the description of the type-species: as the name is based on a comparison with *Talarocera* Williston the spelling *Tararactia* is an inadvertent error.

**TAMANUKIA** Baranov, 1935, *Vet. Arh.* **5** : 551. Type-species: *Tamanukia japanica* Baranov, 1935, by original designation. JAPAN.

**TARARACTIA** Malloch, 1930. See *Talaractia*.

**TASMANIOMYIA** Townsend, 1916, *Can. Ent.* **48** : 152. Type-species: *Masicera viridiventris* Macquart, 1847, by original designation. TASMANIA.

**TAYLORIA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 98. Type-species: *Tayloria testacea* Malloch, 1930, by original designation. QUEENSLAND.

Name preoccupied by *Tayloria* Bourguignat, 1889 (Mollusca), see *Efftayloria* Malloch, 1941.

**TERETROPHORA** Macquart, 1851, *Mém. Soc. Sci. Agric. Lille* **1850** : 174. *Dipt. exot. Suppl.* **4** : 201. Type-species: *Teretrophora fasciata* Macquart, 1851, by monotypy. TASMANIA (probably in error for NEW SOUTH WALES).

**TETRAPTEROMYIA** Malloch, 1930, *J. fed. Malay St. Mus.* **16** : 119. Type-species: *Tetrapteromyia klossi* Malloch, 1930, by original designation. MALAYA.

**THELAIROLESKIA** Townsend, 1926, *Supplta ent.* **14** : 23. Type-species: *Thelairoleskia bicolor* Townsend, 1926, by original designation. SUMATRA.

**THELYCARCELIA** Townsend, 1933, *Jl. N.Y. ent. Soc.* **40** : 475. Type-species: *Thelycarcelia thrrix* Townsend, 1933, by original designation. FORMOSA.

**THERESIOPSIS** Townsend, 1916, *Proc. U.S. natn. Mus.* **51** : 300. Type-species: *Theresiopsis ficorum* Townsend, 1916, by original designation. JAVA.

**THEROBIA** Brauer, 1862, *Verh. zool.-bot. Ges. Wien* **12** : 1231. Type-species: *Trypoderma abdominalis* Wiedemann, 1830, by monotypy. BENGAL.

**THEROBIOPSIS** Townsend, 1919, *Insecutor Inscit. menstr.* **6** : 166. Type-species: *Aulacephala braueri* Kertesz, 1899, by original designation. NEW GUINEA.

**THRYPTODEXIA** Malloch, 1926, *Philipp. J. Sci.* **31** : 509. Type-species: *Thryptodexia polita* Malloch, 1926, by original designation. PHILIPPINE REPUBLIC.

**THYELLINA** Mesnil, 1949, *Flieg. Palaearkt. Reg.* **64g** : 70. Type-species: *Thyellina brevicornis* Mesnil, 1949, by monotypy. QUEENSLAND.

Name preoccupied by *Thyellina* Agassiz, 1838 (Pisces), see *Winthellia n. n.*

**TONGAMYIA** Mesnil, 1953, *Bull. Annls Soc. r. ent. Belg.* **89** : 102. Type-species: *Tongamyia cinerella* Mesnil, 1953, by monotypy. TONGA.

**TOROCCA** Walker, 1860, *J. Proc. Linn. Soc.* **4** : 131. Type-species: *Torocca abdominalis* Walker, 1860, by monotypy. CELEBES.

**TOXOCNEMIS** Macquart, 1855, *Mém. Soc. Sci. Agric. Lille* **1854** : 123. *Dipt. exot. Suppl. 5* : 103. Type-species: *Toxocnemis vittata* Macquart, 1855, by monotypy. SOUTH AUSTRALIA.

**TRICHOFORMOSOMYIA** Baranov, 1934, *Encycl. ent. Série B II*, **7** : 163. Type-species: *Trichoformosomyia sauteri* Baranov, 1934, by original designation. FORMOSA.

- TRICHOSTYLOM** Macquart, 1851, *Mém. Soc. Sci. Agric. Lille* **1850** : 181. *Dipt. exot.* Suppl. 4 : 208. Type-species: *Trichostylum rufipalpis* Macquart, 1851, by monotypy. AUSTRALIA.
- TRISCHIDOCERA** Villeneuve, 1915, *Annls hist.-nat. Mus. natn. hung.* **13** : 93. Type-species: *Trischidocera sauteri* Villeneuve, 1915, by monotypy. FORMOSA.
- TRITAXYS** Macquart, 1847, *Mém. Soc. Sci. Agric. Lille* **1846** : 81. *Dipt. exot. Suppl.* **2** : 65. Type-species: *Tritaxys australis* Macquart, 1847, by monotypy. TASMANIA.
- TRIXOMORPHA** Brauer & Bergenstamm, 1889, *Denkschr. Akad. Wiss., Wien* **56** : 163. *Musc. Schiz.* **1** : 95. Type-species: *Trixomorpha indica* Brauer & Bergenstamm, 1889, by original designation. BENGAL.
- TROPHOMYIA** Aldrich, 1929, *Proc. U.S. natn. Mus.* **76** (15) : 11. Type-species: *Trophomyia pictipennis* Aldrich, 1929 [= *Tachina tepens* Walker, 1849], by original designation. MALAYA.
- TROPHOPS** Aldrich, 1932, *Proc. U.S. natn. Mus.* **81** (9) : 22. Type-species: *Trophops clauseni* Aldrich, 1932, by original designation. JAPAN.
- TRUPHIA** Malloch, 1930, *Rec. Canterbury Mus.* **3** : 310. Type-species: *Truphia grisea* Malloch, 1930, by original designation. NEW ZEALAND.
- TRYPHERINA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 219. Type-species: *Trypherina grisea* Malloch, 1938, by monotypy. NEW ZEALAND.
- TYLODEXIA** Townsend, 1926, *Supplta ent.* **14** : 27. Type-species: *Tylodexia tenuis* Townsend, 1926 [= *Dexia precedens* Walker, 1860], by original designation. SUMATRA.
- UCLESIELLA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 167. Type-species: *Uclesiella irregularis* Malloch, 1938, by original designation. NEW ZEALAND.
- UGIMEIGENIA** Townsend, 1916, *Proc. U.S. natn. Mus.* **51** : 316. Type-species: *Ugimeigenia elzneri* Townsend, 1916, by original designation. BANKS ISLAND (Torres Strait, Queensland).
- UGIMYIA** Rondani, 1870, *Boll. Soc. ent. ital.* **2** : 137. Type-species: *Ugimyia sericariae* Rondani, 1870, by monotypy. JAPAN.  
The original descriptions of *Ugimyia* and its type-species are based on the larva and pupa, but the adult of *Ugimyia sericariae* Rondani is described by Cornalia (1870, *Boll. Soc. ent. ital.* **2** : 223) on a later page in the same journal.
- URODEXIA** Osten-Sacken, 1882, *Annali Mus. civ. Stor. nat. Giacomo Doria* **18** : 11. Type-species: *Urodexia penicillum* Osten-Sacken, 1882, by monotypy. CELEBES.
- URODEXIOMIMA** Townsend, 1927, *Philipp. J. Sci.* **33** : 280. Type-species: *Urodexiomima uramyooides* Townsend, 1927, by original designation. PHILIPPINE REPUBLIC.
- UROEUANTHA** Townsend, 1927, *Philipp. J. Sci.* **33** : 279. Type-species: *Uroeuantha longipes* Townsend, 1927, by original designation. PHILIPPINE REPUBLIC.
- UROMEDINA** Townsend, 1926, *Supplta ent.* **14** : 18. Type-species: *Uromedina caudata* Townsend, 1926, by original designation. SUMATRA.
- USCHIZACTIA** Townsend, 1934, *Jl N.Y. ent. Soc.* **42** : 248. Type-species: *Actia uniseta* Malloch, 1930, by original designation. MALAYA.
- VELUTA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 207. Type-species: *Veluta albicincta* Malloch, 1938, by original designation. NEW ZEALAND.
- VERREAUXIA** Robineau-Desvoidy, 1863, *Hist. nat. Dipt. Env. Paris* **1** : 893. Type-species: *Verreauxia auripilis* Robineau-Desvoidy, 1863, by original designation. TASMANIA.  
Name preoccupied by *Verreauxia* Hartlaub, 1856 (Aves). No replacement name is proposed as *Verreauxia* Robineau-Desvoidy is regarded as a junior subjective synonym of *Rondahpr peaiiana*, 1856.

- VESPIVORA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 347. Type-species: *Vespvora nigriventris* Malloch, 1930, by original designation. QUEENSLAND.
- VESPOCYPTERA** Townsend, 1927, *Ent. Mitt.* **16** : 279. Type-species: *Vespocyptra petiolata* Townsend, 1927, by original designation. FORMOSA.
- VORIELLA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 335. Type-species: *Voriella uniseta* Malloch, 1930, by original designation (cited as *Voriella recedens*, n. sp. by Malloch in error: see Malloch, 1931, *Proc. Linn. Soc. N.S.W.* **56** : 298). NEW SOUTH WALES.
- VORINA** Malloch, 1930, *Proc. Linn. Soc. N.S.W.* **55** : 321. Type-species: *Vorina setibasis* Malloch, 1930, by original designation. NEW SOUTH WALES.
- WATTIA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 162. Type-species: *Wattia ferruginea* Malloch, 1938, by original designation. NEW ZEALAND.
- WEINGAERTNERIELLA** Baranov, 1932, *Neue Beitr. syst. Insektenk.* **5** : 74. Type-species: *Sturmia paradoxalis* Baranov, 1932, by monotypy. FORMOSA. (As subgenus of *Sturmia* Robineau-Desvoidy, 1830).
- WIEDEMANNIOMYIA** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 469. Type-species: *Tachina metallica* Wiedemann, 1824, by original designation. EAST INDIES.
- WINHELLIA** n. n. for *Thyellina* Mesnil, 1949, preoccupied by *Thyellina* Agassiz, 1838. Type-species: *Thyellina brevicornis* Mesnil, 1949.
- WULPITACHINA** Villeneuve, 1934, *Rev. franc. Ent.* **1** : 181. Type-species: *Paratachina vulpecula* Wulp, 1896, by original designation. JAVA.
- XANTHOERIGONE** Townsend, 1927, *Supplta ent.* **16** : 71. Type-species: *Xanthoerigone oralis* Townsend, 1927, by original designation. SUMATRA.
- XANTHOOESTRUS** Villeneuve, 1914, *Annls hist.-nat. Mus. natn. hung.* **12** : 438. Type-species: *Xanthooestrus fastuosus* Villeneuve, 1914, by monotypy. FORMOSA.
- XANTHOPTEROMYIA** Townsend, 1926, *Supplta ent.* **14** : 24. Type-species: *Xanthopteromyia tegulata* Townsend, 1926, by original designation. SUMATRA.
- XENOLOPHOSIA** Villeneuve, 1926, *Bull. Annls Soc. r. ent. Belg.* **66** : 273. Type-species: *Xenolophosia hamulata* Villeneuve, 1926, by subsequent designation of Townsend, 1931, *Ann. Mag. nat. Hist.* (10) **8** : 391. FORMOSA.
- XENORHYNCHIA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 190. Type-species: *Xenorhynchia peeli* Malloch, 1938, by original designation. NEW ZEALAND.
- XENOSTURMIA** Mesnil, 1944, *Flieg. Palaearkt. Reg.* **64g** : 26. Type-species: *Xenosturmia testaceipes* Mesnil, 1944 [= *Eurygaster decipiens* Walker, 1859], by original designation. NEW BRITAIN.
- ZAMBESA** Walker, 1857, *J. Proc. Linn. Soc.* **1** : 21. Type-species: *Zambesa ocypterooides* Walker, 1857, by monotypy. SINGAPORE.
- ZAMBESOIDES** Townsend, 1927, *Philipp. J. Sci.* **33** : 285. Type-species: *Zambesoides samarensis* Townsend, 1927, by original designation. PHILIPPINE REPUBLIC.
- ZAMBESOPSIS** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 451. Type-species: *Zambesa claripalpis* Villeneuve, 1926, by original designation. FORMOSA.
- ZAMIMUS** Malloch, 1932, *Ann. Mag. nat. Hist.* (10) **10** : 319. Type-species: *Zamimus pendleburyi* Malloch, 1932, by original designation. BORNEO.
- ZEBROMYIA** Malloch, 1929, *Proc. Linn. Soc. N.S.W.* **54** : 321. Type-species: *Zebromyia obesa* Malloch, 1929, by original designation. TASMANIA.
- ZEALANDOTACHINA** Malloch, 1938, *Trans. Proc. R. Soc. N.Z.* **68** : 223. Type-species: *Macquartia subtilis* Hutton, 1901, by original designation. NEW ZEALAND.
- ZENARGOMYIA** Crosskey, 1964, *J. ent. Soc. Qd* **3** : 18. Type-species: *Zenargomyia moorei* Crosskey, 1964, by original designation. NEW SOUTH WALES.

- ZITA** Curran, 1927, *Ent. Mitt.* **16** : 350. Type-species: *Zita aureopyga* Curran, 1927, by original designation. QUEENSLAND.
- ZORAMSCEUS** Enderlein, 1936, *Veröff. dt. Kolon.-u. Übersee-Mus. Bremen* **1** : 416. Type-species: *Rutilia erichsonii* Engel, 1925, by original designation. WESTERN AUSTRALIA.
- ZOSTEROMEIGENIA** Townsend, 1919, *Proc. U.S. natn. Mus.* **56** : 579. Type-species: *Zosteromeigenia mima* Townsend, 1919, by original designation. QUEENSLAND.
- ZOSTEROMYIA** Brauer & Bergenstamm, 1891, *Denkschr. Akad. Wiss., Wien* **58** : 376. *Musc. Schiz.* **2** : 72. Type-species: *Zosteromyia braueri* Townsend, 1933 [= *Myobia cingulata* Brauer & Bergenstamm, not of Macquart, by misidentification], by original designation. TASMANIA, QUEENSLAND.
- ZOSTEROMYIOPSIS** Townsend, 1933, *Jl N.Y. ent. Soc.* **40** : 456. Type-species: *Myobia cingulata* Macquart, 1851, by original designation. AUSTRALIA, TASMANIA.
- ZOSTEROPSIS** Townsend, 1916, *Proc. U.S. natn. Mus.* **51** : 309. Type-species: *Zosteropsis rutherfordi* Townsend, 1916, by original designation. CEYLON.
- ZYGOCARCELIA** Townsend, 1927, *Supplta ent.* **16** : 64. Type-species: *Zygocarcelia cruciata* Townsend, 1927, by original designation. SUMATRA.

#### SUMMARY OF PREOCCUPIED AND REPLACEMENT NAMES

The following list summarises the preoccupied junior homonyms in the genus-group names of Oriental and Australasian Tachinidae, together with their replacement names:

Preoccupied name	Replacement name
<i>Arthuria</i> Malloch, 1938	<i>Montanarturia</i> Miller, 1945
<i>Chlorogaster</i> Macquart, 1851	<i>Chlorogastrina</i> n. n.
<i>Delta</i> Malloch, 1930	<i>Deltomyza</i> Malloch, 1931; <i>Mallochiola</i> Strand, 1932 (preoccupied)
<i>Diaphania</i> Macquart, 1843	<i>Prodiaphania</i> Townsend, 1927
<i>Duvaucelia</i> Robineau-Desvoidy, 1830	<i>Curtocera</i> Macquart, 1835
<i>Engycera</i> Malloch, 1938	<i>Gracilicera</i> Miller, 1945
<i>Euphasia</i> Townsend, 1908	<i>Neximyia</i> n. n.
<i>Hygia</i> Mesnil, 1952	none required ( <i>Hygia</i> Mesnil currently treated as synonym of <i>Chaetoxorista</i> Brauer & Bergenstamm, 1894).
<i>Mallochiola</i> Strand, 1932	none required ( <i>Deltomyza</i> Malloch available as replacement name for <i>Delta</i> Malloch)
<i>Mycteromyia</i> Mesnil, 1950	<i>Mycteromyiella</i> Mesnil, 1965
<i>Neophasia</i> Brauer & Bergenstamm, 1893	<i>Euphasia</i> Townsend, 1908 (preoccupied)
<i>Phorocerosoma</i> Malloch, 1929	<i>Phorocerostoma</i> Malloch, 1930
<i>Pygidia</i> Malloch, 1930	<i>Pygidimyia</i> n. n.
<i>Scotiella</i> Mesnil, 1940	<i>Spixomyia</i> n. n.
<i>Tayloria</i> Malloch, 1930	<i>Efftayloria</i> Malloch, 1941
<i>Thyellina</i> Mesnil, 1949	<i>Winthellia</i> n. n.
<i>Verreauxia</i> Robineau-Desvoidy, 1863	none required ( <i>Verreauxia</i> Robineau-Desvoidy currently treated as synonym of <i>Blepharipa</i> Rondani)

The following new combinations result from the new names proposed above:

- Chlorogastrina tasmanensis* (Macquart, 1851) **comb. n.**  
*Neximyia picta* (Brauer & Bergenstamm, 1893) **comb. n.**  
*Pygidimyia rufolateralis* (Malloch, 1930) **comb. n.**  
*Winthellia brevicornis* (Mesnil, 1949) **comb. n.**

The provision of the replacement name *Spixomyia* does not entail any new specific combinations since *Scotiella* Mesnil is currently regarded as a subgenus of *Exorista* Meigen, 1803 (Mesnil, 1960, *Flieg. Palaearkt. Reg.* 64g : 571).

#### SYNOPSIS OF GENUS-GROUP NAMES BASED ON AUSTRALIAN TYPE-SPECIES

<i>Acephana</i> Townsend, 1916	<i>Delta</i> Malloch, 1930
<i>Acucera</i> Malloch, 1930	<i>Deltomyza</i> Malloch, 1931
<i>Agalmia</i> Enderlein, 1936	<i>Diaphania</i> Macquart, 1843
<i>Amphibolia</i> Macquart, 1843	<i>Doddiana</i> Curran, 1927
<i>Amphiropesa</i> Townsend, 1933	<i>Donovanius</i> Enderlein, 1936
<i>Amplipila</i> Curran, 1927	
<i>Anagonia</i> Brauer & Bergenstamm, 1891	<i>Echrysoptasta</i> Townsend, 1932
<i>Anamastax</i> Brauer & Bergenstamm, 1891	<i>Efftayloria</i> Malloch, 1941
<i>Anatropomyia</i> Malloch, 1930	<i>Eipogonoides</i> Curran, 1938
<i>Apalpostoma</i> Malloch, 1930	<i>Euamphibolia</i> Townsend, 1916
<i>Apalpus</i> Malloch, 1929	<i>Eucompsa</i> Enderlein, 1936
<i>Apateomyia</i> Macquart, 1846	<i>Euphasia</i> Townsend, 1908
<i>Apilia</i> Malloch, 1930	<i>Eurygastropsis</i> Townsend, 1916
<i>Aprotocheca</i> Macquart, 1851	<i>Eustacomyia</i> Malloch, 1927
<i>Archimera</i> Mesnil, 1954	<i>Exechopalpus</i> Macquart, 1847
<i>Arrhenomyza</i> Malloch, 1929	
<i>Australotachina</i> Curran, 1938	<i>Froggattimyia</i> Townsend, 1916
<i>Austrodexia</i> Malloch, 1930	
<i>Austrophasia</i> Townsend, 1916	<i>Geraldia</i> Malloch, 1930
<i>Austrophorocera</i> Townsend, 1916	<i>Gerotachina</i> Townsend, 1916
<i>Austrophryno</i> Townsend, 1916	<i>Glossosalia</i> Mesnil, 1960
<i>Bactromyiella</i> Mesnil, 1952	<i>Gonanamastax</i> Townsend, 1933
<i>Ballardia</i> Curran, 1927	<i>Goniophana</i> Brauer & Bergenstamm, 1889
<i>Besseroides</i> Curran, 1938	<i>Grapholostylum</i> Macquart, 1851
<i>Calopygidia</i> Malloch, 1930	
<i>Carcelimyia</i> Mesnil, 1944	<i>Habrota</i> Enderlein, 1936
<i>Chaetogastrina</i> Malloch, 1929	<i>Heterometopia</i> Macquart, 1846
<i>Chaetophthalmus</i> Brauer & Bergenstamm, 1891	
<i>Chetogaster</i> Macquart, 1851	<i>Hillia</i> Malloch, 1929
<i>Chlorodexia</i> Townsend, 1916	<i>Hobartia</i> Malloch, 1930
<i>Chlorogaster</i> Macquart, 1851	<i>Hyleorus</i> Aldrich, 1926
<i>Chlorogastrina</i> n. n.	
<i>Chlorotachina</i> Townsend, 1915	<i>Lasiocalypter</i> Malloch, 1930
<i>Chrysopasta</i> Brauer & Bergenstamm, 1889	<i>Lasiocalyptrina</i> Malloch, 1930
<i>Chrysorutilia</i> Townsend, 1915	
<i>Codium</i> Enderlein, 1936	<i>Macreuthera</i> Bezzi, 1925
<i>Crypsina</i> Brauer & Bergenstamm, 1889	<i>Macrochloria</i> Malloch, 1929
<i>Cystometopia</i> Townsend, 1926	<i>Macropia</i> Malloch, 1930
	<i>Macropodexia</i> Townsend, 1933
	<i>Mallochiola</i> Strand, 1932

- Menevillea* Enderlein, 1936  
*Mesembriomintho* Townsend, 1916  
*Microrutilia* Townsend, 1915  
*Microtropesa* Macquart, 1846  
*Monoleptophaga* Baranov, 1938  
*Myotrixia* Brauer & Bergenstamm, 1893
- Neophasia* Brauer & Bergenstamm, 1893  
*Neorutilia* Malloch, 1936  
*Neximyia* n. n.
- Ocypteropsis* Townsend, 1916  
*Opsophana* Townsend, 1916  
*Opsophasiops* Townsend, 1915  
*Orniominda* Paramonov, 1955
- Palia* Curran, 1927  
*Paliana* Curran, 1927  
*Palpostoma* Robineau-Desvoidy, 1830  
*Parabrachelia* Townsend, 1916  
*Paragonia* Mesnil, 1950  
*Paramphibolia* Brauer & Bergenstamm, 1891  
*Pareupogona* Townsend, 1916  
*Paropsivora* Malloch, 1934  
*Phorocerosoma* Malloch, 1929  
*Phorocerostoma* Malloch, 1930  
*Pilimyia* Malloch, 1930  
*Platytainia* Macquart, 1851  
*Pogonagalmia* Enderlein, 1936  
*Polychaeta* Macquart, 1851  
*Prodiaphania* Townsend, 1927  
*Prosenina* Malloch, 1930  
*Prosenostoma* Townsend, 1932  
*Protomeigenia* Townsend, 1916  
*Psaronia* Enderlein, 1936  
*Psaroniella* Enderlein, 1936  
*Pseudopalpostoma* Townsend, 1926  
*Pseudotrichopoda* Malloch, 1933  
*Pygidia* Malloch, 1930  
*Pygidimyia* n. n.
- Quadra* Malloch, 1929
- Rhinomyobia* Brauer & Bergenstamm, 1893  
*Rutilia* Robineau-Desvoidy, 1830  
*Rutilotrixia* Townsend, 1933
- Schizactiana* Curran, 1927  
*Schizoceromyia* Townsend, 1926  
*Semisuturia* Malloch, 1927  
*Senostoma* Macquart, 1847  
*Stiraulax* Enderlein, 1936  
*Sumpigaster* Macquart, 1855
- Talaractia* Malloch, 1930  
*Tararactia* alt. orig. spelling  
*Tasmaniomyia* Townsend, 1916  
*Tayloria* Malloch, 1930  
*Teretrophora* Macquart, 1851  
*Thyellina* Mesnil, 1949  
*Toxocnemis* Macquart, 1855  
*Trichostylum* Macquart, 1851  
*Tritaxys* Macquart, 1847
- Ugimeigenia* Townsend, 1916
- Verreauxia* Robineau-Desvoidy, 1863  
*Vespivora* Malloch, 1930  
*Voriella* Malloch, 1930  
*Vorina* Malloch, 1930
- Winthellia* n. n.
- Zebromyia* Malloch, 1929  
*Zenargomyia* Crosskey, 1964  
*Zita* Curran, 1927  
*Zoramseus* Enderlein, 1936  
*Zosteromeigenia* Townsend, 1919  
*Zosteromyia* Brauer & Bergenstamm, 1891  
*Zosteromyiopsis* Townsend, 1933

## INDEX TO SPECIFIC NAMES OF TYPE-SPECIES

- abdominalis, Torocca, 29  
 abdominalis, Trypoderma, 29  
 aberrans, Nothopstenia, 20  
 aberrans, Pseudobrullaea, 25  
 actifera, Actinochaetopteryx, 5  
 aenescens, Neoduvaucelia, 19  
 alata, Alophorophasia, 5  
 albicincta, Veluta, 30  
 albifacies, Pseudorectocera, 25  
 albipila, Zenillia, 27
- albopicta, Rutilia, 5  
 alulifera, Dexia, 18  
 amoena, Elfriedella, 11  
 analis, Calopygidia, 8  
 angusticauda, Eupalpocyptera, 13  
 angustifrons, Cryptospylosia, 10  
 angustipennis, Rutilia, 27  
 anorbitalis, Androcyptera, 6  
 antennalis, Everestiomyia, 13  
 apertum, Calcager, 8

- appendiculata, *Heteria*, 15  
 argentea, *Heterometopia*, 15  
 argentifera, *Atractodexia*, 7  
*aristalis*, *Leiosiopsis*, 17  
*aristatum*, *Schistochilus*, 27  
*assimilis*, *Rutilia*, 22  
*ater*, *Gastroptilops*, 14  
*atkinsoni*, *Podomyia*, 10  
*atra*, *Eocypterula*, 12  
*atra*, *Neotryphera*, 20  
*atrata*, *Arrhinodexia*, 6  
*atratula*, *Orectocerina*, 21  
*atribasis*, *Rutilia*, 10  
*atripennis*, *Neomedina*, 19  
*atripennis*, *Ochophasia*, 20  
*atrox*, *Idania*, 16  
*aurea*, *Protomeigenia*, 24  
*aureoauda*, *Palia*, 21  
*aureocephala*, *Anaeudora*, 5  
*aureocincta*, *Bactromyiella*, 7  
*aureopyga*, *Zita*, 32  
*aureoscens*, *Macrozenillia*, 17  
*auricaudata*, *Chrysopygia*, 10  
*auripilis*, *Verreauxia*, 30  
*auronigra*, *Calozenillia*, 8  
*australensis*, *Demoticus*, 12  
*australiensis*, *Delta*, 10  
*australis*, *Anamastax*, 6  
*australis*, *Rhinomyobia*, 25  
*australis*, *Semisuturia*, 27  
*australis*, *Tritaxys*, 30
- bakeri*, *Botriopsis*, 8  
*bakeri*, *Cylindromyiella*, 10  
*bakeri*, *Eoacemyia*, 12  
*bakeri*, *Eocarceliopsis*, 12  
*bakeri*, *Hystricovoria*, 16  
*baldwini*, *Actia*, 29  
*barbata*, *Calyptromyia*, 8  
*barbata*, *Lypha*, 17  
*basalis*, *Eutachina*, 22  
*basalis*, *Paliana*, 21  
*basifera*, *Dexia*, 8  
*beelzebul*, *Tachina*, 25  
*bezziana*, *Myiofijia*, 19  
*bicincta*, *Duvaucelia*, 10, 11  
*bicincta*, *Hemidegeeria*, 15  
*bicincta*, *Pentatomophaga*, 22  
*bicolor*, *Ocyptera*, 23  
*bicolor*, *Thelairoleskia*, 29  
*bicoloripes*, *Oswaldia*, 11  
*bicoloripes*, *Polygastropteryx*, 23  
*bifida*, *Diglossocera*, 11  
*bifida*, *Phaoniella*, 22
- binigra*, *Zealandotachina*, 8  
*biserialis*, *Phorocera*, 7  
*bisetosa*, *Exorista*, 27, 28  
*bisetosa*, *Psaronia*, 25  
*bivittata*, *Barydexia*, 7  
*braueri*, *Aulacephala*, 29  
*braueri*, *Zosteromyia*, 32  
*brevicornis*, *Thyellina*, 29, 31  
*brevifacies*, *Homotrixia*, 15  
*brevigaster*, *Micropalpus*, 9  
*brevipalpis*, *Avibrissina*, 7  
*brevipennis*, *Echinomyia*, 12  
*brevirostris*, *Sumatrodexia*, 28  
*breviseta*, *Eustacomyia*, 13  
*buccata*, *Servilliopsis*, 27  
*burmanica*, *Chaetoptiliopsis*, 9
- caldwelli*, *Monoleptophaga*, 19  
*calliphoroides*, *Australotachina*, 7  
*calliphorosoma*, *Macrochlaria*, 17  
*callipygos*, *Formosia*, 21  
*campbelli*, *Campbellia*, 8  
*canescens*, *Medinomyia*, 18  
*carinata*, *Eomyocera*, 12  
*carbonata*, *Kambaitomyia*, 16  
*castanea*, *Scaphomyia*, 27  
*castanipes*, *Rutilia*, 25  
*caudata*, *Akosempomyia*, 5  
*caudata*, *Carcelia*, 7  
*caudata*, *Uromedina*, 30  
*centralis*, *Plethochaetigera*, 9  
*cerambycivorae*, *Perrissinoides*, 22  
*ceylanica*, *Atractocerops*, 7  
*ceylanica*, *Eocarcelia*, 12  
*ceylanica*, *Eufischeria*, 13  
*chaetopygiale*, *Euthelairosoma*, 13  
*ciliifera*, *Apilia*, 6  
*cinerea*, *Apalpostoma*, 6  
*cinerea*, *Centeter*, 9  
*cinerella*, *Tongamyia*, 29  
*cingulata*, *Myobia*, 32  
*claripalpis*, *Zambesa*, 31  
*claripennis*, *Macquartia*, 7  
*clarkii*, *Tachina*, 28  
*clauseni*, *Trophops*, 30  
*clavata*, *Germariochaeta*, 14  
*communis*, *Compsiluroides*, 10  
*compressa*, *Mesembriomintho*, 18  
*compressa*, *Platerycia*, 23  
*conspersa*, *Kuwanimyia*, 17  
*conspicua*, *Arrhenomyza*, 6  
*cordylurina*, *Oxyphyllomyia*, 21  
*costalis*, *Lophosiopsis*, 17  
*crocea*, *Perrissina*, 22

cruciata, *Zygocarcelia*, 32  
 curvicauda, *Catapariprosopa*, 9  
 cylindrica, *Doleschalla*, 11  
 cylindrica, *Stylogynemyia*, 28  
 decipiens, *Eurygaster*, 31  
 decorata, *Hemilinnaemyia*, 15  
 densa, *Tachina*, 7  
 desvoidyi, *Palpostoma*, 25  
 desvoidyi, *Rutilia*, 26  
 dilabida, *Sturmia*, 14  
 dimorpha, *Arthuria*, 6, 19  
 dimorpha, *Drino*, 16  
 dispar, *Exorista*, 8  
 divergens, *Dexia*, 12  
 diversicolor, *Exorista*, 6, 7  
 dolichopiformis, *Dolichopodomintho*, 11  
 dorsalis, *Apalus*, 6  
 dorsomaculatum, *Grapholostylum*, 15  
 egmonti, *Peremptor*, 22  
 elegans, *Amphitropesa*, 5  
 elegans, *Eophyllophila*, 12  
 elegans, *Formicophanaria*, 14  
 elegans, *Rutilia*, 11  
 elongata, *Rhaphis*, 25  
 elzneri, *Ugimeigenia*, 30  
 empromyioides, *Rhinomyodes*, 25  
 epalpata, *Epseudocyptera*, 12  
 episcopa, *Epixorista*, 12  
 equatorialis, *Eomintho*, 12  
 equatorialis, *Eozenillia*, 12  
 erichsonii, *Rutilia*, 32  
 errans, *Tachina*, 12  
 eutachinoides, *Blepharipoda*, 16  
 evibrissata, *Ecatocyptera*, 11  
 extendens, *Dexia*, 28  
 facialis, *Sturmiodoria*, 28  
 facialis, *Sumatrotachina*, 28  
 fasciata, *Eutorocca*, 13  
 fasciata, *Philippodoria*, 22  
 fasciata, *Tachina*, 24  
 fasciata, *Teretrophora*, 29  
 fasciatum, *Trichostylum*, 22  
 fasciatus, *Sumpigaster*, 7, 18, 28  
 fastuosus, *Xanthoestrus*, 31  
 felderi, *Janthinomyia*, 16, 27  
 felderi, *Macrolophosia*, 17  
 femoralis, *Dolichocoxyz*, 11  
 fenwicki, *Plethochaetigera*, 23  
 fergusoni, *Schizotachina*, 27  
 ferruginea, *Wattia*, 31  
 ficorum, *Theresiopsis*, 29

ficta, *Masicera*, 7  
 fischeri, *Aneogmena*, 6  
 flava, *Myiophasia*, 20  
 flavibasis, *Paratropeza*, 22  
 flaviceps, *Chrysosoma*, 10  
 flavicornis, *Anatropomyia*, 6  
 flavicoxa, *Malaisimyia*, 18  
 flavida, *Phasiadexia*, 22  
 flavifrons, *Ocyptera*, 20  
 flavipalpis, *Melanasmomyia*, 18  
 flavipennis, *Tachina*, 28  
 flavipes, *Senostoma*, 24  
 flavisquama, *Leiosia*, 17  
 flavohirta, *Lasiocalypter*, 17  
 flavopilosa, *Echinomyia*, 25, 27  
 formosa, *Rutilia*, 10, 15  
 formosensis, *Austrophasiopsis*, 7, 16  
 formosensis, *Goniophyto*, 14  
 formosensis, *Halidayopsis*, 15  
 forte, *Phorocerosoma*, 22  
 froggattii, *Argyrothelaira*, 6  
 froggattii, *Chlorodexia*, 9  
 fulvipes, *Rutilia*, 13  
 fulviventris, *Medinodexia*, 18  
 fumipennis, *Malayodoria*, 18  
 furcatus, *Hyleorus*, 16  
 fuscinervis, *Malaysia*, 18  
 fuscipennis, *Scologaster*, 27  
 gastrula, *Boromyia*, 8  
 geniculata, *Altaia*, 5  
 globulum, *Perigymnosoma*, 22  
 goniaeformis, *Blepharipeza*, 6, 14  
 gourlayi, *Microhystricia*, 19  
 gracilis, *Charitella*, 9  
 grahami, *Simoma*, 28  
 grandis, *Phorocera*, 14  
 greyi, *Prosenosoma*, 24  
 grisea, *Paropsivora*, 22  
 grisea, *Truphia*, 30  
 grisea, *Trypherina*, 30  
 hamulata, *Xenolophosia*, 31  
 hemimacquartioides, *Isocarceliopsis*, 16  
 hemydoides, *Formosolophosia*, 14  
 heterocera, *Gonia*, 14  
 hirsuta, *Carcelia*, 19  
 hirta, *Froggattimyia*, 14  
 hirta, *Neoerythronychia*, 19  
 hirticeps, *Actia*, 25  
 hirticeps, *Geraldia*, 14  
 hirticeps, *Rutilia*, 23  
 humeratum, *Calcager*, 25  
 huttoni, *Protohystricia*, 15

- imbuta, *Ocyptera*, 21  
 incidens, *Calcageria*, 8  
*incongrua*, *Hamaxia*, 15, 20  
*indica*, *Crossocosmia*, 16  
*indica*, *Euhapalivora*, 13  
*indica*, *Indosturmia*, 16  
*indica*, *Trixomorpha*, 30  
*indica*, *Voria*, 6  
*indistincta*, *Masicerella*, 18  
*inferens*, *Sturmiopsis*, 28  
*inscitus*, *Occisor*, 20  
*institutiimperialis*, *Leverella*, 17  
*intermedia*, *Isosturmia*, 17  
*inversa*, *Isosturmia*, 12, 16  
*irregularis*, *Uclesiella*, 30
- jacobsoni*, *Gaedigonia*, 14  
*jacobsoni*, *Kurintjmyia*, 16  
*jacobsoni*, *Oxyrutilia*, 21  
*jacobsoni*, *Phryxosturmia*, 23  
*japanica*, *Protonemoreae*, 25  
*japanica*, *Tamanukia*, 29  
*japonica*, *Promedina*, 24  
*javana*, *Chaetexorista*, 9  
*javana*, *Chaetomyiobia*, 9  
*javana*, *Crossotocnema*, 10  
*javana*, *Dexiomima*, 11  
*javana*, *Eutrixopsis*, 13  
*javana*, *Prodegeeria*, 24  
*javanum*, *Ochropleurum*, 20
- kloofia*, *Prosophia*, 24  
*klossi*, *Tetrapteromyia*, 29  
*kockiana*, *Catacarcelia*, 9
- laetifica*, *Mycteromyia*, 19  
*lasiophthalma*, *Pilimyia*, 23  
*lateralis*, *Blepharella*, 6, 7, 23  
*lateralis*, *Eugymnochaetopsis*, 13  
*lateralis*, *Trixa*, 27  
*longicornis*, *Feriola*, 14  
*longimana*, *Myobiomima*, 19  
*longipennis*, *Dexiotrix*, 11  
*longipennis*, *Eomyoceropsis*, 12  
*longipes*, *Apatemyia*, 6  
*longipes*, *Dexia*, 17  
*longipes*, *Dexiomimops*, 11  
*longipes*, *Eoptilodexia*, 12  
*longipes*, *Philippodexia*, 22  
*longipes*, *Uroeuantha*, 30  
*longirostris*, *Avibrissia*, 7  
*lophosioides*, *Lophosiocptera*, 17  
*lupina*, *Musca*, 16  
*luteicornis*, *Sisyropododexia*, 28
- luteifacies*, *Chloropales*, 10  
*luteisquama*, *Erebomima*, 12  
*luzonensis*, *Asbellopsis*, 7
- machaeralis*, *Hapalioloemus*, 15  
*macronychia*, *Ceromyia*, 23  
*macropus*, *Dexia*, 20  
*maculata*, *Platytainia*, 23  
*major*, *Plattyachina*, 23  
*makilingensis*, *Doleschalla*, 11  
*malaya*, *Minthocyptera*, 19  
*malayana*, *Mollia*, 19  
*marginalis*, *Trichoprosopa*, 14  
*medinoides*, *Gymnamedoria*, 15  
*melanoptera*, *Makilingimyia*, 17  
*melanura*, *Bellina*, 7  
*metallica*, *Tachina*, 31  
*micans*, *Orectocera*, 21  
*mima*, *Zosteromeigenia*, 32  
*minor*, *Rutilia*, 13, 19  
*minuta*, *Microphytomyptera*, 19  
*mirabilis*, *Illa*, 16  
*mirabilis*, *Musca*, 14  
*modesta*, *Lasiocalyptrina*, 17  
*molitor*, *Melanophora*, 17  
*moneta*, *Formosia*, 25  
*montana*, *Acucera*, 5  
*montana*, *Malayodinera*, 18  
*montana*, *Proscissio*, 24  
*moorei*, *Zenargomyia*, 31  
*munita*, *Malayocyptera*, 18
- nasuta*, *Carcelia*, 25  
*neowintheimioides*, *Pseudokea*, 25  
*nicholsoni*, *Prosenina*, 24  
*nietneri*, *Prosheliomyia*, 24  
*niger*, *Plagioderophagus*, 23  
*nigra*, *Polychaeta*, 23  
*nigripes*, *Bezzomyiobia*, 7  
*nigriventris*, *Vespivora*, 31  
*nigropolita*, *Asetulia*, 7  
*nitidifrons*, *Eristaliomyia*, 12  
*nitidiventris*, *Nemoraea*, 17  
*nitidiventris*, *Semisuturia*, 20  
*nudibasis*, *Neoplectops*, 20
- obesa*, *Zebromyia*, 31  
*oblonga*, *Masicera*, 22  
*oblonga*, *Rutilia*, 10  
*obscura*, *Pseudocyptera*, 25  
*obtusa*, *Neotachina*, 20  
*obtusa*, *Tachina*, 14  
*octava*, *Carcelia*, 8  
*ocypterina*, *Perilophosia*, 22

- ocypterooides, Saralba, 25, 27  
 ocypterooides, Zambesa, 31  
 oncoperae, Platymyia, 6  
 optica, Anaperistommyia, 6  
 optima, Opsocyptera, 20  
 oralis, Xanthoerigone, 31  
 orbata, Tachina, 12  
 orbitalis, Sumatrosturmia, 28  
 orientale, Dolichocolon, 12  
 orientalis, Aphantorhaphopsis, 6  
 orientalis, Calotheresia, 8  
 orientalis, Eocyptera, 12  
 orientalis, Eogymnophthalma, 12  
 orientalis, Eoparachaeta, 12  
 orientalis, Euhypochaetopsis, 13  
 orientalis, Euvespivora, 13  
 orientalis, Hystricia, 15, 24  
 orientalis, Orilliopsis, 21  
 orientalis, Tachina, 21  
 ormioides, Ochromeigenia, 20  
 ornata, Philippolophosia, 22  
 ornata, Quadra, 25  
 oryzae, Metoposisyrops, 19  
  
 pachyprocta, Hystricia, 24  
 pallens, Doddiana, 11  
 pallida, Phasioormia, 22  
 pallidus, Demoticoides, 10  
 pallipes, Ballardia, 7  
 palpata, Leskiola, 17  
 papua, Macrosophia, 17  
 paradoxa, Palpostomotrixia, 21  
 paradoxalis, Sturmia, 31  
 parvicornis, Takanoella, 29  
 parvus, Sigelotroxis, 28  
 pauciseta, Crossocosmia, 15  
 pecularis, Hobartia, 15  
 peeli, Xenorhynchia, 31  
 pellucens, Rutilia, 18  
 pendleburyi, Zamimus, 31  
 penicillum, Urodexia, 30  
 petiolata, Malayomedina, 18  
 petiolata, Phrynaactia, 23  
 petiolata, Proriedelia, 24  
 petiolata, Vespcyptera, 31  
 philippina, Prophorichaeta, 24  
 phoeda, Phoriniophylax, 22  
 phoenix, Compsoptesis, 10  
 picta, Neophasia, 20  
 pictipennis, Penthosiosoma, 22  
 pictipennis, Trophomyia, 30  
 plumosa, Proparathelaira, 24  
 polita, Hillia, 15  
 polita, Thryptodexia, 29  
  
 politiventris, Engycera, 12, 14  
 portentosa, Koralliomya, 16  
 portentosa, Paragonia, 21  
 precedens, Dexia, 30  
 prima, Crypsina, 5, 10  
 prisca, Bothrostira, 8  
 profana, Prosturmia, 24  
 prosopina, Myiotrixia, 19  
 psychidis, Neophryxe, 20  
 pulchra, Palpocyptra, 21  
 pulchra, Prosopofrontina, 24  
 pygidialis, Hygiella, 16  
 pyrrhaspis, Euproctimyia, 13  
  
 recedens, Voriella, 31  
 regalis, Musca, 11  
 rieki, Ormiominda, 21  
 robusta, Hygia, 13  
 rubiginans, Weberia, 9  
 rubrifrons, Masicera, 5  
 ruficornis, Eipogonoides, 11  
 rufifacies, Masicera, 5, 20  
 rufifrons, Tachina, 14  
 rufipalpis, Heterometopia, 10  
 rufipalpis, Trichostylum, 30  
 rufipalpus, Exechopalpus, 14  
 rufipes, Aprotheca, 6  
 rufipes, Chlorogaster, 9  
 rufipes, Masicera, 21  
 rufiventris, Dicephalomyia, 11  
 rufiventris, Hyalomya, 7  
 rufiventris, Kosempomyiella, 16  
 rufiventris, Macropia, 17  
 rufolateralis, Pygidia, 25  
 rutherfordi, Zosteropsis, 32  
 rutiloides, Prohypotachina, 24  
  
 samarensis, Zambesoides, 31  
 saturatissima, Rutilia, 17  
 sauteri, Metopomintho, 19  
 sauteri, Trichoformosomyia, 29  
 sauteri, Trischidocera, 21, 30  
 scutellaris, Palpina, 21  
 scutellata, Takanomyia, 29  
 scutellatus, Lophosiodes, 17  
 septima, Carcelia, 19  
 sericariae, Ugimyia, 30  
 setibasis, Vorina, 31  
 setigera, Austrodexia, 7  
 setinerva, Suensonomyia, 28  
 setiventris, Photocerosoma, 23  
 setosa, Eurigaster, 23  
 sexualis, Besseroides, 7  
 sibuyana, Medinacemyia, 18

- simillima, Aphrimyobia, 6  
 simplex, Rutilia, 20  
 sinuata, Graphotachina, 15  
 sinuata, Musca, 19  
 siphonosoma, Actia, 27  
 skusei, Euthera, 17  
 solennis, Masicera, 21, 24  
 sphenocephori, Ceromasia, 19  
 splendida, Philippoformosia, 22  
 spylosioides, Anagonia, 5  
 stolida, Chaetogastrina, 9  
 striatalis, Diatraeophaga, 11, 27  
 strictus, Eucomus, 13  
 strigosa, Graphia, 15  
 stylata, Stylurodoria, 28  
 subtilis, Macquartia, 31  
 succini, Tachina, 21  
 sumatrana, Senexorista, 27  
 sumatrense, Eodexiosoma, 12  
 sumatrensis, Acuphocera, 5  
 sumatrensis, Biomyopsis, 7  
 sumatrensis, Brachymeropsis, 8  
 sumatrensis, Calotheresia, 8  
 sumatrensis, Carceliopsis, 8  
 sumatrensis, Frontiniellopsis, 14  
 sumatrensis, Servilliodes, 27  
 sumatrensis, Stenodexiopsis, 28  
 summaria, Sumatrodoria, 28  
 sungayana, Promintho, 24  
 tasmanensis, Chlorogaster, 9  
 tasmaniae, Eurigaster, 8, 13  
 tegulata, Xanthopteromyia, 31  
 temerarium, Calcager, 8  
 tenuipes, Rhynchiodesia, 26  
 tenuis, Tylodexia, 30  
 tepens, Tachina, 30  
 testacea, Diaphania, 11, 24  
 testacea, Palpostoma, 21  
 testacea, Tayloria, 11, 29  
 testaceipes, Xenosturmia, 31  
 thermophila, Tachina, 28  
 thrix, Thelycarcelia, 29  
 tibialis, Kosempomyia, 16  
 tonnoiri, Genotrichia, 14  
 tpus, Spiroglossa, 28  
 transvittatum, Succingulum, 15  
 tricincta, Elodimyia, 11  
 tricolor, Calotachina, 8  
 turbidum, Calcager, 23  
 uniseta, Actia, 30  
 uniseta, Voriella, 31  
 unispinosa, Medinella, 18  
 uramyoides, Oxydexiops, 21  
 uramyoides, Urodexiomima, 30  
 usitata, Cerosomyia, 9  
 valentina, Amphibolia, 5  
 valida, Actia, 27  
 varia, Musca, 5  
 variegata, Senostoma, 27  
 varipes, Pseudotrichopoda, 25  
 varipes, Smidtiola, 28  
 ventralis, Phytorophaga, 23  
 verecunda, Phania, 16  
 versicolor, Amplipila, 5  
 versicolor, Chrysopasta, 10  
 vespiformis, Servillia, 27  
 vexata, Macquartia, 18  
 vicaria, Masicera, 22  
 violacea, Chetogaster, 9  
 viridicingens, Hega, 15  
 viridifulva, Kinabaluia, 16  
 viridiventris, Masicera, 29  
 vittata, Toxocnemis, 29  
 vivipara, Tachina, 26, 28  
 vulpecula, Paratachina, 27, 31  
 wallacei, Megistogaster, 18  
 xanthogastra, Degeeriopsis, 10  
 zelebori, Bothrophora, 8